



AGRICULTURAL CLUTCHES

Master Catalogue 2025



1171 Newmarket Street

Ottawa Ontario K1B 3V1

613 748-1515

TOLL FREE 800 661-9700

TABLE OF CONTENT

AGCO-ALLIS/ALLIS-CHALMERS/DEUTZ-ALLIS	3-15
AGCO-WHITE	16
BELARUS	17
BOLENS	18
BRANSON	19
CASE	20-23
CADE-IH	24-68
CHALLENGER	69-71
FORD	72-142
FORD-NEW HOLLAND	143-173
INTERNATIONAL	174-193
JOHN DEERE	194-237
KUBOTA	238-268
MAHINDRA	269
MASSEY-FERGUSON	270-308
McCORMICK	309-315
OLIVER	316-317
SHIBURA	318-326
YANMAR	327-329

Agco-Allis/Allis-Chalmers/Deutz-Allis

6-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	351760N AC-KIT		Clutch Kit Includes: 351760, D800662, N1054
	351760	1500362M92 CA5256 D800023	Pressure Plate Assembly Type - Lever Plate Size - 6-1/2" Levers - 3 Springs - 6 Stage -Single Models: G
	D800662		Disc Type - Rigid Woven OD - 6-1/2" Hub Size - 7/8" Spline - 10 Models: G
	N1054		Release Bearing OD - 2.7344 Models: G

Agco-Allis/Allis-Chalmers/Deutz-Allis

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	Y194335		Pressure Plate Assembly Plate Size - 9" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: ST30, ST30X
	M3703735		Disc Type - Rigid Woven OD - 9" Hub Size - 15/16" Spline - 13 Models: ST30, ST30X, ST35
	M3703735-HD-4		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 15/16" Spline - 13 Models: ST30, ST30X, ST35
	M3703735 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 15/16" Spline - 13 Models: ST30, ST30X, ST35
	M3703736		Disc Type - Spring Woven OD - 9" Hub Size - 15/16" Spline - 13 Models: ST30, ST30X, ST35
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: ST30, ST30X, 5020, 5030

Agco-Allis/Allis-Chalmers/Deutz-Allis

10 INCH STEERING CLUTCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	676827		Pressure Plate Assembly Type - Lever Plate Size - 10" Levers - 3 Springs - 9 Stage -Single Models: HD3, HD4, 653, 655

Agco-Allis/Allis-Chalmers/Deutz-Allis

10 INCH - DUAL STAGE 1

Image	Part#/Price	Reference #	Application
	D2092068		Disc Type - Rigid Woven OD - 10" Hub Size - 1-9/16" Spline - 14 Models: 5040

Agco-Allis/Allis-Chalmers/Deutz-Allis

11 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K32530	3A481-25110 SC32232	Pressure Plate Assembly Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single 12-5/8" Hole Center To Center Models: ST47A, ST52A
	M01250067		Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: ST47A, ST52A
	M01250067 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: ST47A, ST52A

Agco-Allis/Allis-Chalmers/Deutz-Allis

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	D2094463	228 0077 10	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .079 Stage -Dual Models: 5040, 5045, 5050, 6060, 6070
	D272699		Disc Type - Rigid Woven OD - 11" Hub Size - 1-9/16" Spline - 14 Models: 5040, 5045, 5050, 6060, 6070
	D2093949	328 0185 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: 5040, 5045, 5050, 6060, 6070
	D2093949-UL		Disc Type - Rigid Unlined OD - 11" Hub Size - 1-9/16" Spline - 14 Models: 5040, 5045, 5050, 6060, 6070
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: 4650, 5040, 5045, 5050, 5650, 6060, 6070, 6080


Agco-Allis/Allis-Chalmers/Deutz-Allis

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: 5040, 5045, 5050, 6060, 6070
	AG 29		Alignment Tool Large Spline - 1 9/16" - 14T Small Spline - 1" - 10T Pilot Diameter - 0.667 Models: 5040, 5045, 5050, 6060, 6070

Agco-Allis/Allis-Chalmers/Deutz-Allis

12 INCH - TORQUE LIMITER

Image	Part#/Price	Reference #	Application
	D269728		Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-1/2" Spline - 23 Models: 4W220, 7010, 7020, 7030, 7040, 7045, 7050, 7060, 7080, 7580, 8010, 8030, 8050, 8070

Agco-Allis/Allis-Chalmers/Deutz-Allis

12 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	D255689		Pressure Plate Assembly Plate Size - 12" Levers - 3 Springs - 12 Flywheel Step - 1.437" Stage -Single Models: 180, 185, 190, 190XT, 200

Agco-Allis/Allis-Chalmers/Deutz-Allis

12 INCH - SINGLE STAGE #4

Image	Part#/Price	Reference #	Application
	D269622		Pressure Plate Assembly Plate Size - 12" Levers - 0 Springs - 12 Flywheel Step - 1.437 Stage -Single Models: 7010, 7020, 7040, 7060, 8010

Agco-Allis/Allis-Chalmers/Deutz-Allis

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	M3701015N KIT		Clutch Kit Includes: 6203-2RS, 8301245, AG 09, M3701011 HD5, M3701015, N1174 Models: LT 70, LT 85, 8745, 8765
	M3701015	CA-399RB	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 3 Springs - Belleville Hub/Spline - 1-5/8" x 25 Flywheel Step - .130" Stage -Single Models: LT 70, LT 85, 8745, 8765
	M3701011 HD5	333 0138 10 M3701011	Disc Type - Spring Ceramic Button OD - 13" Hub Size - 1-1/8" Spline - 21 Models: LT 70, LT 85, 8745, 8765
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: LT 70, LT 85, 8745, 8765
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: LT 70, LT 85, ST35, ST45, ST45H, ST55, 160, 5020, 5030, 6040, 8745, 8765

Agco-Allis/Allis-Chalmers/Deutz-Allis

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	AG 09		Alignment Tool Large Spline - 1 5/8" - 25T Small Spline - 1 1/8" - 21T Pilot Diameter - 0.670 Models: LT 70, LT 85, 8745, 8765

Agco-Allis/Allis-Chalmers/Deutz-Allis

STEERING BRAKE DISCS

Image	Part#/Price	Reference #	Application
	70047631	AMR-1155	Steering Disc Description - Fiber OD - 11-11/16" ID - 8-1/8" External Teeth - 57 FITS MODELS - HD7
	70044478	AMR-1347	Steering Disc Description - Fiber OD - 13-39/64" ID - 10-7/64" External Teeth - 67 FITS MODELS - HD5 AND HD6
	70057375	1355	Steering Disc Description - Metallic OD - 13-39/64" ID - 10-7/64" External Teeth - 67 FITS MODELS - CE
	70233886		Steering Disc Description - Steel OD - 10-1/2" ID - 5-3/8" Tangs - 6 .100 Thickness FITS MODELS - HD3 AND HD4
	71003719		Steering Disc Description - Fiber OD - 9.868" ID - 4.885" Internal Teeth - 25 .141 Thickness FITS MODELS - HD3 AND HD4
	71010964	9030	Steering Disc Description - Metallic OD - 9.868" ID - 4.885" Internal Teeth - 25 .141 Thickness FITS MODELS - HD3 AND HD4 (NOT OEM)

Agco-White

Agco-White & Oliver

Image	Part#/Price	Reference #	Application
	W160971		Disc Type - Spring Woven OD - 12" Hub Size - 1-1/2" Spline - 19 Models: 2-70, 2-78, 4-78
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: 2-70, 2-78, 4-78
	6007-2RS		Pilot Bearing ID - 1.371" OD - 2.441" Thickness - .550" Models: 2-70, 2-78, 4-78

Belarus

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	B1601090		Pressure Plate Assembly Type - Lever Plate Size - 12-7/8" Levers - 3 Springs - 12 Hub/Spline - 1-5/16" x 16 Flywheel Step - 1.389" Stage -Single Models: 500, 502, 505, 520, 522, 525, 530, 532, 560, 562, 570, 572
	B900335		Disc Type - Spring Woven OD - 12-7/8" Hub Size - 1-3/8" Spline - 12 Models: 500, 502, 505, 520, 522, 525, 530, 532, 560, 562, 570, 572

Bolens

7-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K66592	32200-14500	Pressure Plate Assembly Type - Lever Plate Size - 7-1/4" Levers - 3 Springs - 6 Stage -Single Models: G152, G154, G172, G174

Branson

11 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K112511	K3G011-24110	Pressure Plate Assembly Type - Diaphragm Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - .025 Stage -Single 12-1/4" Hole Center To Center Models: 5530, 6530
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: 2910I, 3510I, 3820I, 4220I, 4520, 4720I, 5530, 6530

Case

10 INCH SINGLE STAGE

Image	Part#/Price	Reference #	Application
	A36145		Disc Type - Rigid Woven OD - 10' Hub Size - 1-1/8" Spline - 10 Models: 300, 300B Series, 310, 310B Series, 420, 430, 441, 511B, 530, 611B, 630

Case

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	D1163702		Pressure Plate Assembly Plate Size - 11" Levers - 3 Springs - 6 Flywheel Step - Flat Stage -Single Models: 310, 420, 430, 440, 441, 510B, 520, 530, 630
	390010		Disc Type - Spring Woven OD - 11" Hub Size - 1-1/8" Spline - 10 Models: 310
	N1136-A	1752 831752 A0899-2	Release Bearing ID - 1.752 OD - 3.060" Thickness - .745" Models: VA, VAC, VAH, VAI, VAO, VAS, 200B Series, 300, 300B Series, 310, 310B Series, 320, 420, 430, 440, 441, 510B, 511B, 520, 530, 611B, 630

Case

11 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	A39212		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 6 Hub/Spline - 1-7/8" x 29 Flywheel Step - Flat Stage -Single Models: 420, 430, 440, 441, 470, 480, 530, 570, 580
	A51840		Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 21 Models: 420, 430, 440, 441, 470, 480, 530, 570, 580
	N1136-A	1752 831752 A0899-2	Release Bearing ID - 1.752 OD - 3.060" Thickness - .745" Models: 200B Series, 300, 300B Series, 310, 310B Series, 320, 420, 430, 440, 441, 510B, 511B, 520, 530

Case

12 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	85025	131 0038 10	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 10 Flywheel Step - 1.406" Stage -Single Models: 380B

	85026 HD6		Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 380B
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: S, SC, SO, 300, 300B Series, 310, 310B Series, 380B

Case-IH

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD450011N KIT	SBA320450011K	Clutch Kit Includes: 6001-2RS, AG 01, FD320021, FD450011, N3764
	FD450011N CB6 KIT		Clutch Kit Includes: 6001-2RS, AG 01, FD320021 HD6, FD450011, N3764
	FD450011	165317 SBA320450011	Pressure Plate Assembly Type - Lever Plate Size - 8-1/2" Levers - 3 Springs - 3 Flywheel Step - Flat Stage -Single Models: D25, D29, DX25, DX29
	FD320021	CD-3940 F400261 FD320250	Disc Type - Rigid Woven OD - 8-1/2" Hub - 10 Hub Size - 15/16" Models: D25, D29, DX25, DX29
	FD320021 HD6	CD-3940-CB F400261-CB	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: D25, D29, DX25, DX29
	FD320021 HD-UL		Disc Type - Unlined Rigid OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: D25, D29, DX25, DX29

Case-IH

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	N3764		Release Bearing ID - 1.771" OD - 2.900" Thickness - .700" Models: D25, D29, DX25, DX29, 275
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: D25, D29, D33, D35, D40, D45, DX24, DX25, DX26, DX29, DX31, DX33, DX34, DX35, DX48, DX55, Farmall 31, Farmall 35, Farmall 40, Farmall 45, Farmall 50, Farmall 55
	AG 01		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: D25, D29, DX25, DX29

Case-IH

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FD320230N KIT		Clutch Kit Includes: 6001-2RS, AG 01, FD320230, FD320530, N018
	FD320230		Pressure Plate Assembly Type - Diaphragm Plate Size - 9" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: D33, DX31, DX33, DX34, Farmall 31, Farmall 35
	FD320530		Disc Type - Rigid Woven OD - 9" Hub Size - 15/16" Spline - 10 Models: D33, DX31, DX33, DX34, Farmall 31, Farmall 35
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: D33, D35, D40, D45, DX31, DX33, DX34, DX35, Farmall 30B, Farmall 31, Farmall 35, Farmall 35B, Farmall 40, Farmall 45, Farmall 50
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: D25, D29, D33, D35, D40, D45, DX24, DX25, DX26, DX29, DX31, DX33, DX34, DX35, DX48, DX55, Farmall 31, Farmall 35, Farmall 40, Farmall 45, Farmall 50, Farmall 55

Case-IH

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	AG 01		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: D25, D29, D33, DX25, DX29, DX31, DX33, DX34, Farmall 31, Farmall 35

Case-IH

9-1/2 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	K20206N-FORD KIT		Clutch Kit Includes: 6001-2RS, FD320560, K20206, N018
	K20206	K31301-14600 KTA020-20600	Pressure Plate Assembly Type - Diaphragm Plate Size - 9-1/2" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Kit Available Upon Request Models: D35, D40, DX35, Farmall 40
	FD320560		Disc Type - Spring Woven OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: D35, D40, DX35, Farmall 40
	FD320560 HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: D35, D40, DX35, Farmall 40
	FD320560 HD6		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: D35, D40, DX35, Farmall 40

Case-IH

9-1/2 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: D33, D35, D40, D45, DX31, DX33, DX34, DX35, Farmall 30B, Farmall 31, Farmall 35, Farmall 35B, Farmall 40, Farmall 45, Farmall 50
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: D45, DX35, DX48, DX55, Farmall 40, Farmall 40B, Farmall 50B, Farmall 55
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: D25, D29, D33, D35, D40, D45, DX24, DX25, DX26, DX29, DX31, DX33, DX34, DX35, DX48, DX55, Farmall 31, Farmall 35, Farmall 40, Farmall 45, Farmall 50, Farmall 55

Case-IH

9-1/2 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	R127827		Pressure Plate Assembly Plate Size - 9-1/2" Flywheel Step - Flat Stage -Single Models: Farmall 30B, Farmall 35B
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: D33, D35, D40, D45, DX31, DX33, DX34, DX35, Farmall 30B, Farmall 31, Farmall 35, Farmall 35B, Farmall 40, Farmall 45, Farmall 50

Case-IH

10-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K40206		Pressure Plate Assembly Type - Diaphragm Plate Size - 10-1/4" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: D45, Farmall 45, Farmall 50
	FD320570		Disc Type - Spring Woven OD - 10-1/4" Hub Size - 1-3/16" Spline - 16 Models: D45, Farmall 45, Farmall 50
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: D33, D35, D40, D45, DX31, DX33, DX34, DX35, Farmall 30B, Farmall 31, Farmall 35, Farmall 35B, Farmall 40, Farmall 45, Farmall 50
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: D45, DX35, DX48, DX55, Farmall 40, Farmall 40B, Farmall 50B, Farmall 55
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: D25, D29, D33, D35, D40, D45, DX24, DX25, DX26, DX29, DX31, DX33, DX34, DX35, DX48, DX55, Farmall 31, Farmall 35, Farmall 40, Farmall 45, Farmall 50, Farmall 55

Case-IH

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FD450310N KIT		Clutch Kit Includes: 6001-2RS, FD320650, FD450310, RCT55B
	FD450310N-R KIT		Clutch Kit Includes: 6001-2RS, FD320651, FD450310, RCT55B
	FD450310		Pressure Plate Assembly Type - Diaphragm Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: DX48, DX55, Farmall 55
	FD320650		Disc Type - Spring Woven OD - 11" Hub Size - 1-3/8" Spline - 19 Models: DX48, DX55, Farmall 55
	FD320651		Disc Type - Rigid Woven OD - 11" Hub Size - 1-3/8" Spline - 19 Models: DX48, DX55, Farmall 55
	FD320650 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: DX48, DX55, Farmall 55

Case-IH

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: D45, DX35, DX48, DX55, Farmall 40, Farmall 40B, Farmall 50B, Farmall 55
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: D25, D29, D33, D35, D40, D45, DX24, DX25, DX26, DX29, DX31, DX33, DX34, DX35, DX48, DX55, Farmall 31, Farmall 35, Farmall 40, Farmall 45, Farmall 50, Farmall 55

Case-IH

11 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	K32530	3A481-25110 SC32232	Pressure Plate Assembly Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: Farmall 40B, Farmall 50B
	M01250067		Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: Farmall 40B, Farmall 50B
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: DX35, DX45, DX48, DX55, Farmall 40, Farmall 40B, Farmall 50B, Farmall 55

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	D2094463	228 0077 10	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .079 Stage -Dual 9 or 12 Mounting Holes Includes Engine Disc Models: Farmall 60, Farmall 70, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, Farmall 65C, Farmall 75C

	D272699		Disc Type - Rigid Woven OD - 11" Hub Size - 1-9/16" Spline - 14 Models: Farmall 60, Farmall 70, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, Farmall 65C, Farmall 75C
	D2093949	328 0185 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: Farmall 60, Farmall 70, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, Farmall 75C
	D2093949-UL		Disc Type - Rigid Unlined OD - 11" Hub Size - 1-9/16" Spline - 14 Models: JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	F5176450	328 0332 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 15/16" Spline - 10 Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, JX95, JX1060, JX1070, JX1075, JX1075N, Farmall 65C, Farmall 75C

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 60
---	-----------------	---------------	---

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 65A

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 70
---	----------	--------	---

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 75A
--	----------	--------	--

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 80, Farmall 85U, Farmall 90, Farmall 95

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX 55
---	----------	--------	--

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX60
--	----------	--------	---

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX65

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX70, JX70U
---	----------	--------	--

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX75
--	----------	--------	---

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX80, JX80U

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX85
---	-----------------	---------------	---

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX90, JX90U
--	-----------------	---------------	--

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX95

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX1060
---	-----------------	---------------	---

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX1070, JX1070U
--	-----------------	---------------	--

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX1075

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX1075N, JX1080U, JX1090U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 105C, Farmall 65C, Farmall 75C
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" RELEASE BEARING W/COLLAR Luk Style Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95, JX1060, JX1070, JX1070U, JX1075, JX1075N, JX1080U, JX1090U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 105C, Farmall 65C, Farmall 75C

Case-IH

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 60, Farmall 65A, Farmall 75A, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95, JX100U, JX1060, JX1070, JX1070U, JX1075, JX1075N, JX1080U, JX1090U, JX1100U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 65C, Farmall 75C
	AG 29		Alignment Tool Large Spline - 1 9/16" - 14T Small Spline - 1" - 10T Pilot Diameter - 0.667 Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, JX95, JX1060, JX1070, JX1075, JX1075N

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	F5181421N KIT		Clutch Kit Includes: 500 0459 00, 6015-2RS, 6303-2RS, AG 29, F5176450, F5181421
	F5181421		Pressure Plate Assembly Type - Lever Style Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .020 Stage -Dual Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 80, JX60, JX70, JX80, JX90, JX95, JX1060, JX1070, JX1075, JX1075N, Farmall 75C
	F5181422	328 0261 10	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, JX60, JX70, JX80, JX90, JX95, JX1060, JX1070, JX1075, JX1075N, Farmall 65C, Farmall 75C
	F5181422-UL		Disc Type - Spring Unlined Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, JX60, JX70, JX80, JX90, JX95, JX1060, JX1070, JX1075, JX1075N
	F5176450	328 0332 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 15/16" Spline - 10 Models: Farmall 60, Farmall 70, Farmall 80, JX60, JX70, JX80, JX90, JX95, JX1060, JX1070, JX1075, JX1075N, Farmall 105C, Farmall 65C, Farmall 75C

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
-------	-------------	-------------	-------------

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 60, Farmall 65A
--	----------	--------	--

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 70, Farmall 75A
--	----------	--------	--

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 80, Farmall 85U, Farmall 90, Farmall 95, JX 55
--	----------	--------	---

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
-------	-------------	-------------	-------------

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX60, JX65
--	-----------------	---------------	---

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX70, JX70U, JX75
--	-----------------	---------------	--

	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX80, JX80U, JX85
--	-----------------	---------------	--

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: JX1075N, JX1080U, JX1090U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 105C, Farmall 65C, Farmall 75C
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 60
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 60
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 65A
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 65A

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 70
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 70
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 75A
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 75A
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 80
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 80

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 85U
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 85U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 90
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 90
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 95
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 95

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX 55
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX 55
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX60
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX60
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX65
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX65

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX70
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX70
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX70U, JX75
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX75
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX80
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX80

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX80U, JX85
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX85
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX90
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX90
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX90U
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX90U

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX95
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: JX95
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX1060, JX1070, JX1070U, JX1075, JX1075N, JX1080U, JX1090U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 105C
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 105C
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 65C
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 65C

Case-IH

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part# /Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 75C
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 75C
	6014-2RS	500 0284 00 830114 AR27447	Pilot Bearing ID - 2.758" OD - 4.328" Thickness - 0.784" Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, JX90U, JX95
	AG 29		Alignment Tool Large Spline - 1 9/16" - 14T Small Spline - 1" - 10T Pilot Diameter - 0.667 Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, JX95, JX1060, JX1070, JX1075, JX1075N, Farmall 65C, Farmall 75C

Case-IH

11" CLUTCH POWERSHIFT

Image	Part# /Price	Reference #	Application
	F5181427		Pressure Plate Assembly Type - Lever Style Plate Size - 11" Levers - 3 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .020" Stage -Powershift Models: Farmall 65C, Farmall 75C
	F5176450	328 0332 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 15/16" Spline - 10 Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, JX95, JX1060, JX1070, JX1075, JX1075N, Farmall 105C, Farmall 65C, Farmall 75C
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95, JX1060, JX1070, JX1070U, JX1075, JX1075N, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 105C, Farmall 65C, Farmall 75C

Case-IH

11" CLUTCH POWERSHIFT

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95, JX1060, JX1070, JX1070U, JX1075, JX1075N, JX1080U, JX1090U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 105C, Farmall 65C, Farmall 75C
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 65A, Farmall 75A, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95, JX100U, JX1060, JX1070, JX1070U, JX1075, JX1075N, JX1080U, JX1090U, JX1100U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 65C, Farmall 75C

Case-IH

12 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	85025	131 0038 10	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 10 Flywheel Step - 1.406" Stage -Single
	85026 HD6		Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 380B, 495, 585, 595, 685, 695, 785, 885, 895, 995, 3220, 3230, 3400, 3434, 4210, 4230, 4240
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: C50, C60, C70, C80, C90, C100, CX50, CX60, CX70, CX80, CX90, CX100, 380B, 385, 395, 485, 495, 585, 595, 685, 695, 785, 885, 895, 995, 3220, 3230, 3400, 3434, 4210, 4230, 4240
	AG 02		Alignment Tool Large Spline - 1 5/8" - 10T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.750 Models: C50, C60, C70, C80, C90, C100, CX50, CX60, CX70, CX80, CX90, CX100, 380B, 385, 395, 485, 495, 585, 595, 685, 695, 785, 885, 895, 995, 3220, 3230, 3400, 3434, 4210

Case-IH

12-1/4 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	F5189825		Pressure Plate Assembly Type - Diaphragm Plate Size - 12-1/4" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: JX70U, JX80U, JX90U, JX100U, JX1070U, JX1080U, JX1090U, JX1100U
	D2093915		Disc Type - Rigid Ceramic Button OD - 12-1/4" Hub Size - 1-3/4" Spline - 16

	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 60, Farmall 65A, Farmall 75A, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95, JX100U, JX1060, JX1070, JX1070U, JX1075, JX1075N, JX1080U, JX1090U, JX1100U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150
--	-----------------	--------------------	--

Case-IH

12-1/4 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	223807N KIT		Clutch Kit Includes: 223807, 341723, 500 0361 50, 6204-2RS, AG 02
	223807		Pressure Plate Assembly Type - Diaphragm Plate Size - 12-1/4' Levers - N/A Springs - Diaphragm Hub/Spline - 1-5/8" X 10 Flywheel Step - Flat Stage -Single Models: C50, C60, C70, C80, C90, C100, CX50, CX60, CX70, CX80, CX90
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: C50, C60, C70, C80, C90, C100, CX50, CX80, CX90, CX100, 380B, 385, 395, 485, 495, 585, 595, 685, 695, 785, 885, 895, 995, 3220, 3230, 3400, 3434, 4210, 4230, 4240
	AG 02		Alignment Tool Large Spline - 1 5/8" - 10T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.750 Models: C50, C60, C70, C80, C90, C100, CX50, CX60, CX70, CX80, CX90, CX100, 380B, 385, 395, 485, 495, 585, 595, 685, 695, 785, 885, 895, 995, 3220, 3230, 3400, 3434, 4210

Case-IH

12-1/4 INCH - DUAL STAGE #1 W/HYDRAULIC PTO

Image	Part#/Price	Reference #	Application
	F5189875	231 0088 10	Pressure Plate Assembly Type - Lever Plate Size - 12-1/4" Levers - 6 Springs - Belleville Hub/Spline - 1-3/4" x 16 Flywheel Step - .018 Stage -Dual Models: Farmall 85U, Farmall 90, Farmall 95, JX70U, JX80U, JX90U, JX95, JX1070U, JX1080U, JX1090U, Farmall 105C, JX100U, JX1100U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: Farmall 85U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 85U
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: Farmall 90

Case-IH

12-1/4 INCH - DUAL STAGE #1 W/HYDRAULIC PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 90
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: Farmall 95
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 95, JX 55, JX60, JX65, JX70
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX70U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX70U, JX75, JX80
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX80U

Case-IH

12-1/4 INCH - DUAL STAGE #1 W/HYDRAULIC PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX80U, JX85, JX90
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX90U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX90U
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX95
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX95
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX100U

Case-IH

12-1/4 INCH - DUAL STAGE #1 W/HYDRAULIC PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX1060, JX1070
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX1070U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX1070U, JX1075, JX1075N
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX1080U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX1080U
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX1090U

Case-IH

12-1/4 INCH - DUAL STAGE #1 W/HYDRAULIC PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: JX1090U
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: JX1100U
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: Farmall 105C
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 105C

Case-IH

12-1/4 INCH - DUAL STAGE #2 - W/MECHANICAL PTO

Image	Part#/Price	Reference #	Application
	F5189875N KIT		Clutch Kit Includes: 500 0459 00, 6015-2RS, 6303-2RS, F5189875, M3105233
	F5189875	231 0088 10	Pressure Plate Assembly Type - Lever Plate Size - 12-1/4" Levers - 6 Springs - Belleville Hub/Spline - 1-3/4" x 16 Flywheel Step - .018 Stage -Dual Models: Farmall 85U, Farmall 90, Farmall 95, JX70U, JX80U, JX90U, JX95, JX1070U, JX1080U, JX1090U, Farmall 105C
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: Farmall 85U, Farmall 90, Farmall 95, JX70U, JX80U, JX90U, JX95, JX100U, JX1070U, JX1080U, JX1090U, JX1100U, Farmall 105C
	M3105233		Disc Type - Rigid Woven OD - 12-1/4" Hub Size - 15/16" Spline - 10 Models: Farmall 85U, Farmall 90, Farmall 95, JX70U, JX80U, JX90U, JX95, JX1070U, JX1080U, JX1090U, Farmall 105C
	6014-2RS	500 0284 00 830114 AR27447	Pilot Bearing ID - 2.758" OD - 4.328" Thickness - 0.784" Models: Farmall 60, Farmall 65A, Farmall 75A, Farmall 80, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX75, JX80, JX85, JX90, JX90U, JX95, Farmall 105C

Case-IH

12-1/4 INCH - DUAL STAGE #2 - W/MECHANICAL PTO

Image	Part# /Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: Farmall 60, Farmall 65A, Farmall 70, Farmall 75A, Farmall 80, Farmall 85U, Farmall 90, Farmall 95, JX 55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95, JX1060, JX1070, JX1070U, JX1075, JX1075N, JX1080U, JX1090U, PJ55, PJ65, PJ75, PJN55, PJN65, PJN75, PJV55, PJV65, PJV75, 2120, 2130, 2140, 2150, Farmall 105C
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: Farmall 60, Farmall 70, Farmall 80, 2150, Farmall 105C

Case-IH

13-3/4 INCH - TORSIONAL DAMPER

Image	Part# / Price	Reference #	Application
	87542609	1866 600 022 370 0032 10 D8NN7550AA	Disc Type - Spring OD - 13-3/4" Hub Size - 1-9/16" Spline - 14 Mounting Holes: 8 Models: MXM120, MXM130, MXM140, MXM155, MXM175, MXM190

Case-IH

14 INCH - FLEX PLATE

Image	Part#/Price	Reference #	Application
	92590N		Disc Type - Spring Flex Plate OD - 14" Hub Size - 1-3/4" Spline - 13 With 6 Mounting Holes Models: 1440, 1460, 1480, 1620, 1640, 1660, 1680, 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950

Challenger

9-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K20206N KIT		Clutch Kit Includes: 6002-2RS, FD320160, K20206, RCT55B Models: MT265B, MT275B
	K20206	K31301-14600 KTA020-20600	Pressure Plate Assembly Type - Diaphragm Plate Size - 9-1/2" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: MT265B, MT275B
	FD320160	F400441 R127829	Disc Type - Rigid Woven OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: MT265B, MT275B
	R127828 HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: MT265B, MT275B
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: MT265B, MT275B, MT285B, MT295B
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: MT255, MT255B, MT265, MT265B, MT275, MT275B, MT285, MT285B, MT295B

Challenger

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	M3701015N KIT		Clutch Kit Includes: 6203-2RS, 8301245, AG 09, M3701011 HD5, M3701015, N1174 Models: MT455, MT465
	M3701015	CA-399RB	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 3 Springs - Belleville Hub/Spline - 1-5/8" x 25 Flywheel Step - .130" Stage -Single Models: MT455, MT465
	M3701011 HD5	333 0138 10 M3701011	Disc Type - Spring Ceramic Button OD - 13" Hub Size - 1-1/8" Spline - 21 Models: MT444, MT454, MT455, MT464, MT465
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: MT455, MT465
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: MT295, MT297, MT444, MT454, MT455, MT464, MT465

Challenger

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	AG 09		Alignment Tool Large Spline - 1 5/8" - 25T Small Spline - 1 1/8" - 21T Pilot Diameter - 0.670 Models: MT444, MT454, MT455, MT464, MT465

Ford

6-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD320460 TBA		Pressure Plate Assembly Type - Diaphragm Plate Size - 6-1/4" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: 1100, 1110
	FD320071		Disc Type - Spring Woven OD - 6-1/4" Hub Size - 3/4" Spline - 18 Models: 1100, 1110
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 23-66, 1000, 1100, 1110, 1120, 1200, 1210, 1215, 1220, 1300, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact, 2120, 3415

Ford

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD450011N KIT	SBA320450011K	Clutch Kit Includes: 6001-2RS, AG 01, FD320021, FD450011, N3764
	FD450011	165317 SBA320450011	Pressure Plate Assembly Type - Lever Plate Size - 8-1/2" Levers - 3 Springs - 3 Flywheel Step - Flat Stage -Single Models: 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925

	FD320021	CD-3940 F400261 FD320250	Disc Type - Rigid Woven OD - 8-1/2" Hub - 10 Hub Size - 15/16" Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925
	FD320021 HD6	CD-3940-CB F400261-CB	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925
	FD320021 HD-UL		Disc Type - Unlined Rigid OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925

Ford

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	N3764		Release Bearing ID - 1.771" OD - 2.900" Thickness - .700" Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925, 2120, 3415
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 23-66, 1000, 1100, 1110, 1120, 1200, 1210, 1215, 1220, 1300, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact, 2120, 3415
	AG 01		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925

Ford

8-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320340N KIT-FORD		Clutch Kit Includes: 6001-2RS, AG 01, FD320021, FD320340, N039
	FD320340	K35260-14200	Pressure Plate Assembly Type - Lever Plate Size - 8-1/2" Levers - 3 Springs - Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - .079 Stage -Dual Includes Woven PTO Disc Models: 1310, 1510, 1710
	FD320260	K36260-14450 TD060-20500	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1-3/8" Spline - 19 Models: 1310, 1320, 1510, 1520, 1530, 1630, 1710, 1715, 1725, 1925, 2030
	FD320021	CD-3940 F400261 FD320250	Disc Type - Rigid Woven OD - 8-1/2" Hub - 10 Hub Size - 15/16" Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925
	FD320021 HD6	CD-3940-CB F400261-CB	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925

Ford

8-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 1310, 1320, 1500, 1510, 1520, 1530, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 23-66, 1000, 1100, 1110, 1120, 1200, 1210, 1215, 1220, 1300, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact, 2120, 3415
	AG 01		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: 23-66, 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925

Ford

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	F8N63SK		Clutch Kit Includes: 6203-2RS, AT 5325, F8N63S, FNA50A, N1087
	F8N63S	CA5102	Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - 6 Flywheel Step - Flat Stage -Single Levers w/o Weights Models: 2N, 8N, 9N, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131
	FNA50A	280604	Disc Type - Spring Woven OD - 9" Hub Size - 1-3/8" Spline - 10T Models: Golden Jubilee, N Series, NAA, NAB, Super Dexta, 2N, 8N, 9N, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000

Ford

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FNA50A-SP	280604-SP	Disc Type - Spring Woven OD - 9" Hub Size - 1-3/8" Spline - 10 Fits the same models as FNA50A.
	FNA50A-R	280604-R	Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/8" Spline - 10 Fits the same models as FNA50A.
	FNA50A HD6	280604-CB	Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 1-3/8" Spline - 10 Models: Golden Jubilee, N Series, NAA, NAB, Super Dexta, 2N, 8N, 9N, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Greasable Models: Golden Jubilee, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410

Ford

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	AT 5325		Alignment Tool Large Spline - 1-3/8 x 10 Small Spline - N/A Pilot Diameter - .670 ALIGNMENT TOOL Models: Golden Jubilee, N Series, NAA, NAB, Super Dexta, 2N, 8N, 9N, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000

Ford

9 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	FD320230		Pressure Plate Assembly Type - Diaphragm Plate Size - 9" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: 1720, 1925
	FD320530		Disc Type - Rigid Woven OD - 9" Hub Size - 15/16" Spline - 10 Models: 1925
	FD 320530 HD4		Disc Type - Rigid Ceramic Button OD - 9" Hub - 10 Hub Size - 15/16" Models: 1925

	FD400373		Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/16" Spline - 16 Models: 1720
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: 1720, 1910, 1925

Ford

9 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 1720, 1910, 1925
	AG 01		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: 1000, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1725, 1900, 1925

Ford

9 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	FD320110N KIT		Clutch Kit Includes: 6001-2RS, AG 52, FD320051, FD320110, N039
	FD320110		Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - .028 Stage -Dual Includes Woven PTO Disc Models: 1500, 1700, 1900
	FD320051	R13090	Disc Type - Rigid Woven OD - 9" Hub - 15/16" Spline - 13 Models: 1500, 1700, 1900
	FD320051 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub - 15/16" Spline - 13 Models: 1500, 1700, 1900
	FD320061		Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/8" Spline - 19 PTO Disc - INCLUDED IN PPA Models: 1500, 1700, 1900

Ford

9 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	FD320061 HD4		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 1-3/8" Spline - 19 Models: 1500, 1700, 1900
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 1310, 1320, 1500, 1510, 1520, 1530, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 23-66, 1000, 1100, 1110, 1120, 1200, 1210, 1215, 1220, 1300, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact, 2120, 3415

Ford

9 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	F4702DSN KIT		Clutch Kit Includes: 6203-2RS, AG 15, F4702DS, N1174
	F4702DS		Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 6 Springs - 12 Hub/Spline - 1" x 15 - 1-7/8" x 29 Stage -Dual Includes Engine & PTO Discs Models: Golden Jubilee, Super Dexta, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000
	FC550B		Disc Type - Spring Woven OD - 9" Hub Size - 1" Spline - 15 Models: Golden Jubilee, Super Dexta, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000

Ford

9 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	FC541B	322 0090 56 C5NN77641B E8NN7550LA FC550A	Disc Type - Rigid Woven OD - 8-5/8" Hub Size - 1-7/8" Spline - 29 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 3000, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 4000, 4100, 4110, 4400, 4600
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Golden Jubilee, Major, Super Dexta, Super Major, TW15, TW20, TW25, TW30, TW35, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

9 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	AG 15		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 15T Pilot Diameter - 0.670 Models: Golden Jubilee, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3550, 3900, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500

Ford

9 INCH - DUAL STAGE #3

Image	Part#/Price	Reference #	Application
	FD440483N KIT		Clutch Kit Includes: 6001-2RS, FD400383, FD440483, N039
	FD440483		Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - Belleville Hub/Spline - 1-3/16" x 16 Flywheel Step - .079 Stage -Dual Includes Woven Engine Disc Models: 1720
	FD400373		Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/16" Spline - 16 Models: 1720
	FD400383		Disc Type - Rigid Woven OD - 9" Hub Size - 3/4" Spline - 14 Rigid Woven PTO Disc Models: 1720
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 1310, 1320, 1500, 1510, 1520, 1530, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact

Ford

9 INCH - DUAL STAGE #3

Image	Part#/Price	Reference #	Application
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 23-66, 1000, 1100, 1110, 1120, 1200, 1210, 1215, 1220, 1300, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact, 2120, 3415

Ford

9 INCH - DUAL STAGE #4

Image	Part#/Price	Reference #	Application
	FD320260	K36260-14450 TD060-20500	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1-3/8" Spline - 19 Models: 1310, 1320, 1510, 1520, 1530, 1630, 1710, 1715, 1725, 1925

Ford

9-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320614N KIT		Clutch Kit Includes: 6001-2RS, FD320402, FD320614, N039
	FD320614		Pressure Plate Assembly Type - Lever Plate Size - 9-1/2" Levers - 3 Springs - Belleville Hub/Spline - 1-3/16" x 16 Flywheel Step - .079 Stage -Dual Includes Woven Engine Disc Models: 1920
	FD320150		Disc Type - Rigid Woven OD - 9-1/2" Hub Size - 15/16" Spline - 13 Models: 1910, 2110 Compact
	FD320160	F400441 R127829	Disc Type - Rigid Woven OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: 1910
	FD320402	SBA320400404	Disc Type - Rigid Woven OD - 9-1/2" Hub Size - 3/4" Spline - 14 Models: 1920

Ford

9-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320160	F400441 R127829	Disc Type - Rigid Woven OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: 2110 Compact
	FD320160 HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 1-3/8" Spline - 19 Models: 1910, 2110 Compact
	FD320391		Disc Type - Rigid Woven OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: 1920
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 1310, 1320, 1500, 1510, 1520, 1530, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 23-66, 1000, 1100, 1110, 1120, 1200, 1210, 1215, 1220, 1300, 1310, 1320, 1500, 1510, 1520, 1530, 1600, 1620, 1630, 1700, 1710, 1715, 1720, 1725, 1900, 1910, 1920, 1925, 2110 Compact, 2120, 3415

Ford

10 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FND63AKN KIT	NDA7563AK	Clutch Kit Includes: 6203-2RS, AG 15, FND50B, FND63A, N1087
	FND63A		Pressure Plate Assembly Type - Lever Plate Size - 10" Levers - 3 Springs - 9 Flywheel Step - Flat Stage -Single Models: 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000
	FNB51B	280870	Disc Type - Spring Woven OD - 10" Hub Size - 1-3/8" Spline - 10T Models: 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000
	FND52B		Disc Type - Rigid Woven OD - 10" Hub Size - 1-3/8" Spline - 10 Models: 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000

Ford

10 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	R65439 HD4		Disc Type - Rigid Ceramic Button OD - 10" Hub Size - 1-3/8" Spline - 10 Models: 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000
	FND50B	NDA7550B	Disc Type - Spring Woven OD - 10" Hub Size - 1" Spline - 15 Models: 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000
	FND50B-R	FNDA7550B-R	Disc Type - Rigid Woven OD - 10" Hub Size - 1" Spline - 15 Models: 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000

Ford

10 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FND50B HD4	FND50B-CB-R	Disc Type - Rigid Ceramic Button OD - 10" Hub Size - 1" Spline - 15 Models: 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Greasable Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

10 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	AG 15		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 15T Pilot Diameter - 0.670 Models: Golden Jubilee, Super Dexta, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3550, 3900, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500
	AG 19		Alignment Tool Small Spline - 1 3/4" - 10T Models: Golden Jubilee, N Series, NAA, NAB, Super Dexta, 2N, 8N, 9N, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 4000

Ford

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FC563ZN-10 KIT		Clutch Kit Includes: 6203-2RS, AG 03, FC563Z, FE351AA, N1087
	FC563ZN-15 KIT		Clutch Kit Includes: 6203-2RS, AG 15, FC563Z, FC750V, N1087
	FD063AN KIT		Clutch Kit Includes: 6203-2RS, AG 03, FD063A, FE351AA, N1087
	FC563Z	C5NN7563V	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 4 Springs - 12 Flywheel Step - Flat Stage -Single 1965 - September 1969 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4410
	FD063A		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 6 Flywheel Step - Flat Stage -Single October 1969 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4410, 5000, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FC750V	281150	Disc Type - Spring Woven OD - 11" Hub Size - 1" Spline - 15 1965 - September 1969 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4410
	FC750V-R	281150-R	Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 15 1965 - September 1969 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4410
	FE350AA/345		Disc Type - Spring Woven OD - 11" Hub Size - 1" Spline - 10 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FE351AA	CD-2788	Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 10 October 1969 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FC750AD HD-4	CD-2788-CB	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 10 October 1969 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340
	FC750AD HD-6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 10 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Golden Jubilee, Major, Super Dexta, Super Major, TW15, TW20, TW25, TW30, TW35, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	AG 03		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 10T Pilot Diameter - 0.670 Models: 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 530A, 531, 532, 535, 540, 545, 550, 555, 655, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	AG 15		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 15T Pilot Diameter - 0.670 Models: Golden Jubilee, Super Dexta, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3550, 3900, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500


Ford

11 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	FE563A		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 9 Flywheel Step - Flat Stage -Single Models: Major, Super Dexta, Super Major
	FD850DA		Disc Type - Rigid Woven OD - 11" Hub Size - 1-3/8" Spline - 10 Models: Major, Super Dexta, Super Major
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Greasable Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3500, 3550, 3600, 3610, 3630, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - IPTO CLUTCH

Image	Part#/Price	Reference #	Application
	FC563U-N KIT		Clutch Kit Includes: 6203-2RS, AG 03, FC563U, FE350AA/360, N1174
	FC563U-NR KIT		Clutch Kit Includes: 15" INSERT, 15" KRAFT BOX, 6203-2RS, AG 03, FC563U, FE351AA
	FD863DBN-10 KIT		Clutch Kit Includes: 6203-2RS, AG 03, FD863DB, FE350AA/360, N1174
	FD863DB-10-HD6 KIT		Clutch Kit Includes: 6203-2RS, AG 03, FC750AD HD-6, FD863DB, N1174
	FC563U	C5NN7563U CA52324	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 4 Springs - 12 Hub/Spline - 1-7/8" x 29 Flywheel Step - Flat Stage -Single October 1975 - October 1980 Models: 4000, 4100, 4110, 4140, 4200, 4330, 4400, 4410, 4600

Ford

11 INCH - IPTO CLUTCH

Image	Part#/Price	Reference #	Application
	FD863DB		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 6 Hub/Spline - 1-7/8" x 29 Flywheel Step - Flat Stage -Single November 1980 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3300, 3310, 3330, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340
	FC750V	281150	Disc Type - Spring Woven OD - 11" Hub Size - 1" Spline - 15 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4330, 4340, 4400, 4410
	FC750V-R	281150-R	Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 15 1965 - September 1969 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4410

Ford

11 INCH - IPTO CLUTCH

Image	Part#/Price	Reference #	Application
	FE350AA/345		Disc Type - Spring Woven OD - 11" Hub Size - 1" Spline - 10 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

	FE351AA	CD-2788	Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 10 October 1969 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340
--	----------------	----------------	--

Ford

11 INCH - IPTO CLUTCH

Image	Part#/Price	Reference #	Application
	FC750AD HD-4	CD-2788-CB	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 10 October 1969 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340
	FC750AD HD-6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 10 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - IPTO CLUTCH

Image	Part#/Price	Reference #	Application
-------	-------------	-------------	-------------

	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Golden Jubilee, Major, Super Dexta, Super Major, TW15, TW20, TW25, TW30, TW35, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500,

		4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
--	--	---

Ford

11 INCH - IPTO CLUTCH

Image	Part#/Price	Reference #	Application
	AG 15		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 15T Pilot Diameter - 0.670 Models: Golden Jubilee, Super Dexta, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3550, 3900, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500
	AG 03		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 10T Pilot Diameter - 0.670 Models: 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 530A, 531, 532, 535, 540, 545, 550, 555, 655, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	FD802AAN KIT	12126075	Clutch Kit Includes: 6203-2RS, AG 03, FD802AA, FE350AA/360, N1174
	FD802AAN-R KIT		Clutch Kit Includes: 6203-2RS, AG 03, FD802AA, FE351AA, N1174
	FD802AAN-15 KIT		Clutch Kit Includes: 6203-2RS, AG 15, FC750V, FD802AA, N1174
	FD802AAN-R-15 KIT		Clutch Kit Includes: 6203-2RS, AG 15, FC750V-R, FD802AA, N1174
	FD802AA		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 21 Hub/Spline - 1-7/8" x 29 Flywheel Step - 1.750" Stage -Dual Includes Woven PTO Disc Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 3000, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 4000, 4100, 4110, 4400, 4600

Ford

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	FD802AA-A		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 24 Hub/Spline - 1-7/8" x 29 Flywheel Step - 1.750" Stage -Dual Includes Woven PTO Disc Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 3000, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 4000, 4100, 4110, 4400, 4600

	FC750V	281150	Disc Type - Spring Woven OD - 11" Hub Size - 1" Spline - 15 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4410
--	---------------	---------------	---

Ford

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	FC750V-R	281150-R	Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 15 1965 - September 1969 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4410
	FC750V HD4	281150 HD4	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 15 1965 - September 1969 Models: 2000, 2100, 2110, 2310, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3900, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4410
	FE350AA/345		Disc Type - Spring Woven OD - 11" Hub Size - 1" Spline - 10 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	FE351AA	CD-2788	Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 10 October 1969 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340
	FC750AD HD-4	CD-2788-CB	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 10 October 1969 & Above Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340
	FC750AD HD-6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 10 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	FC541B	322 0090 56 C5NN77641B E8NN7550LA FC550A	Disc Type - Rigid Woven OD - 8-5/8" Hub Size - 1-7/8" Spline - 29 Models: 230A, 231, 233, 234, 333, 334, 335, 530A, 531, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 3000, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3600, 3610, 4000, 4100, 4110, 4400, 4600
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Golden Jubilee, Major, Super Dexta, Super Major, TW15, TW20, TW25, TW30, TW35, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	AG 03		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 10T Pilot Diameter - 0.670 Models: 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 530A, 531, 532, 535, 540, 545, 550, 555, 655, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	D2094463	228 0077 10	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .079 Stage -Dual 9 or 12 Mounting Holes Includes Engine Disc Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530

	D272699		Disc Type - Rigid Woven OD - 11" Hub Size - 1-9/16" Spline - 14 Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530
	D2093949	328 0185 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530
	D2093949-UL		Disc Type - Rigid Unlined OD - 11" Hub Size - 1-9/16" Spline - 14 Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530
	D2091671		Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 10 Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530

Ford

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" RELEASE BEARING W/COLLAR Luk Style Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530, 7530
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530, 7530
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530, 7530
	6014-2RS	500 0284 00 830114 AR27447	Pilot Bearing ID - 2.758" OD - 4.328" Thickness - 0.784" PTO Bearing Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530
	AG 29		Alignment Tool Large Spline - 1 9/16" - 14T Small Spline - 1" - 10T Pilot Diameter - 0.667 Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530

Ford

12 INCH - DUAL POWER

Image	Part#/Price	Reference #	Application
	FE063CAN-10 KIT		Clutch Kit Includes: 836108, AG 13, FE063CA, FE351CA, N1174
	FE063CAN-HD6 10 KIT		Clutch Kit Includes: 836108, AG 13, FE063CA, FE351CA HD6, N1174
	FE063CAN-10R KIT		Clutch Kit Includes: 15" INSERT, 15" KRAFT BOX, 836108, AG 13, FE063CA, FE350CA
	FE063CA	CA-52393 EONN7563CA	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 4 Springs - 16 Flywheel Step - Flat Stage -Single Does Not Include Shims 1965 - September 1969, June 1971 - September 1975 With Dual Power Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5700, 5900, 6500, 6600, 6610, 6700, 6710

Ford

12 INCH - DUAL POWER

Image	Part#/Price	Reference #	Application
	F1815815 KIT		Shim Kit For FEO63CA
	FE350CA	281224-R	Disc Type - Rigid Woven OD - 12" Hub Size - 1-3/4" Spline - 10 Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5700, 5900, 6500, 6600, 6610, 6700, 6710
	FE351CA	281224	Disc Type - Spring Woven OD - 12" Hub Size - 1-3/4" Spline - 10 Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5700, 5900, 6500, 6600, 6610, 6700, 6710
	FE351CA HD6	281224-CB	Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-3/4" Spline - 10 Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5700, 5900, 6500, 6600, 6610, 6700, 6710

Ford

12 INCH - DUAL POWER

Image	Part# / Price	Reference #	Application
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Golden Jubilee, Major, Super Dexta, Super Major, TW15, TW20, TW25, TW30, TW35, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	836108		Pilot Bearing Models: TW5, TW10, TW15, TW20, TW25, TW30, TW35, 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5610S, 5640, 5700, 5900, 6410, 6500, 6600, 6610, 6610S, 6640, 6700, 6710, 6810, 7000, 7010, 7100, 7200, 7410, 7600
	AG 13		Alignment Tool Small Spline - 1 3/4" - 10T Pilot Diameter - 1.400

Ford

12 INCH - LESS DUAL POWER

Image	Part#/Price	Reference #	Application
	FE063CAN-25 KIT		Clutch Kit Includes: 15" INSERT, 15" KRAFT BOX, 836108, AG 47, FE063CA, FE351EA/395
	FE063CAN-25R KIT		Clutch Kit Includes: 836108, AG 47, FE063CA, FE350EA/380, N1174
	FE063CAN-HD6 25KIT		Clutch Kit Includes: 836108, AG 47, FE063CA, FE351EA HD-6, N1585
	FE063CA	CA-52393 EONN7563CA	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 4 Springs - 16 Flywheel Step - Flat Stage -Single Does Not Include Shims 1965 - September 1969, June 1971 - September 1975. W/O Dual Power Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5700, 5900, 6500, 6600, 6610, 6700, 6710
	F1815815 KIT		Shim Kit For FE063CA
	FE350EA/380		Disc Type - Rigid Woven OD - 12" Hub Size - 1-5/8" Spline - 25



**Models: 5000, 5100, 5110, 5190, 5200, 5340,
5600, 5700, 6500, 6600, 6700**

Ford

12 INCH - LESS DUAL POWER

Image	Part#/Price	Reference #	Application
	FE350EA/395	281152-R	Disc Type - Rigid Woven OD - 12" Hub Size - 1-5/8" Spline - 25 Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5700, 6500, 6600, 6700
	FE351EA/380		Disc Type - Spring Woven OD - 12" Hub Size - 1-5/8" Spline - 25 Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5700, 6500, 6600, 6700
	FE351EA HD-6	281152-CB	Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-5/8" Spline - 25 Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5700, 6500, 6600, 6700

Ford

12 INCH - LESS DUAL POWER

Image	Part# / Price	Reference #	Application
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Golden Jubilee, Major, Super Dexta, Super Major, TW15, TW20, TW25, TW30, TW35, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	836108		Pilot Bearing Models: TW5, TW10, TW15, TW20, TW25, TW30, TW35, 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5610S, 5640, 5700, 5900, 6410, 6500, 6600, 6610, 6610S, 6640, 6700, 6710, 6810, 7000, 7100, 7200, 7410, 7600
	AG 47		Alignment Tool Small Spline - 1 5/8" - 25T Pilot Diameter - 1.435

Ford

12 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	FC563ABN-15 KIT		Clutch Kit Includes: 6203-2RS, AG 15, FC563AB, FC750Y, N1585
	FC563AB	C5NN7563AB	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 4 Springs - 12 Flywheel Step - Flat Stage -Single Includes Bearing Release Plate 1965 - September 1969 Models: 3400, 3500, 4330, 4340, 4410
	FC750Y		Disc Type - Rigid Woven OD - 12" Hub Size - 1" Spline - 15 1965 - September 1969 Models: 3400, 3500, 4330, 4340, 4410
	FC750Y HD6		Disc Type - Rigid Ceramic Button OD - 12" Hub Size - 1" Spline - 15 1965 - September 1969 Models: 3400, 3500, 4330, 4340, 4410

Ford

12-1/4 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	F5189825		Pressure Plate Assembly Type - Diaphragm Plate Size - 12-1/4" Levers - Diaphragm Springs - Diaphragm Stage -Single
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Transmission Ceramic Button Disc Captive
	D2093915		Disc Type - Rigid Ceramic Button OD - 12-1/4" Hub Size - 1-3/4" Spline - 16

Ford

12-1/4 INCH - DUAL STAGE #1

Image	Part# / Price	Reference #	Application
	F5189875	231 0088 10	Pressure Plate Assembly Type - Lever Plate Size - 12-1/4" Levers - 6 Springs - Belleville Hub/Spline - 1-3/4" x 16 Flywheel Step - .018 Stage -Dual Includes 6 Pad Engine Disc



F5189823

Disc

Type - Spring Ceramic
OD - 12-1/4"
Hub Size - 1-3/4"
Spline - 16
Transmission Ceramic Button Disc Captive

Ford

12-1/4 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	D2093915		Disc Type - Rigid Ceramic Button OD - 12-1/4" Hub Size - 1-3/4" Spline - 16

	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" RELEASE BEARING W/COLLAR Luk Style Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530, 7530
--	--------------------	--	---

Ford

12-1/4 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	D2094455		Pressure Plate Assembly Plate Size - 12-1/4" Levers - 6 Springs - Belleville Hub/Spline - 1-3/4" x 16 Flywheel Step - .018" Stage -Dual Stage Includes 6 Pad Engine Disc Models: 7530
	D2092903		Disc Type - Rigid Woven OD - 12-1/4" Hub Size - 1-1/8" Spline - 10 Models: 7530
	D2093915		Disc Type - Rigid Ceramic Button OD - 12-1/4" Hub Size - 1-3/4" Spline - 16
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" RELEASE BEARING W/COLLAR Luk Style Models: 3010S, 4010S, 4030, 4230, 4330V, 4430, 5010S, 5530, 6530, 7530

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD863ABN-10 KIT		Clutch Kit Includes: 836108, AG 13, FD863AB, FD950AB/395, N1585
	FC563ACN KIT	1112-6163	Clutch Kit Includes: 6203-2RS, AG 03, F1815816 KIT (.060), FC563AC, FE350BA/380, N1585
	FD863ABN-10R KIT		Clutch Kit Includes: 15" INSERT, 15" KRAFT BOX, 836108, AG 13, FD863AB, FD951AB/395
	FD863ABN-25 KIT		Clutch Kit Includes: 836108, AG 47, FD251A, FD863AB, N1174
	FC563ACN-R KIT		Clutch Kit Includes: 6203-2RS, AG 03, F1815816 KIT (.060), FC563AC, FE350BA-R, N1174
	FE3563N KIT		Clutch Kit Includes: 836108, AG 13, FD950AB/395, FE3563, N1174

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FE3563N-CB-6 KIT		Clutch Kit Includes: 836108, AG 13, F8201591, FE3563, N1174
	FE3563N-CB-9 KIT		Clutch Kit Includes: 836108, AG 13, FD950AB-CB-9, FE3563, N1174
	FE3563	82001664 FE3564	Pressure Plate Assembly Type - Diaphragm Plate Size - 13" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: 5640, 6410, 6640, 6810
	FD863BA	CA1005L D8NN7563BA MFDC116 (D8NN7563BA AP STYLE)	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 4 Springs - 16 Flywheel Step - Flat Stage -Single Models: TW5, TW10
	FC563AC	C5NN7563AC CA52733	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 4 Springs - 12 Hub/Spline - 1-7/8" x 29 Flywheel Step - Flat Stage -Single Includes Release Bearing Plate Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3430, 3500, 3550, 3630, 3910, 3930, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD863AB	D8NN-7563AB	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 4 Springs - 16 Flywheel Step - Flat Stage -Single Shims Not Included. Models: Major, Super Major, 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5610S, 5700, 5900, 6410, 6600, 6610, 6810, 7000, 7100, 7600
	F1815816 KIT (.060)		SHIM KIT FOR FD863AB

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
-------	-------------	-------------	-------------

E1ADDN7566B

	FD150C	281216 281216-W	Disc Type - Spring Ceramic Button OD - 13" Hub Size - 1-3/4" Spline - 10 Models: TW5, TW10, 5640, 6410, 6640, 6810
--	---------------	----------------------------------	---

281216-UL

	FE350BA/365		Disc Type - Spring Woven OD - 13" Hub Size - 1" Spline - 10 Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3400, 3430, 3500, 3550, 3630, 3910, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030
	FE350BA-R	281211-R 333 0088 10 E3NN7550BA	Disc Type - Rigid Woven OD - 13" Hub Size - 1" Spline - 10 Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3400, 3430, 3500, 3550, 3630, 3910, 3930, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FE350BA HD6	281211-CB	Disc Type - Rigid Ceramic Button OD - 13" Hub Size - 1" Spline - 10 VTL Series Button Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3400, 3430, 3500, 3550, 3630, 3910, 3930, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030

	FD251A/380	281212/380	Disc Type - Spring Woven OD - 13" Hub Size - 1-5/8" Spline - 25 Thickness - .380 Non Dual Power Models: 5000, 5100, 5190, 5200, 5340, 5600, 5610S, 5700, 5900, 6410, 6600, 6610, 6610S, 6700, 6710, 6810, 7000, 7100, 7200, 7410, 7600
--	-------------------	-------------------	---

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD250A/380		Disc Type - Rigid Woven OD - 13" Hub Size - 1-5/8" Spline - 25 Non Dual Power Models: 5000, 5100, 5190, 5200, 5340, 5600, 5610S, 5700, 5900, 6410, 6600, 6610, 6610S, 6700, 6810, 7000, 7100, 7200, 7410, 7600
	FD950AB/380	281223/380	Disc Type - Spring Woven OD - 13" Hub Size - 1-3/4" Spline - 10 Dual Power Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5610S, 5640, 5700, 5900, 6410, 6600, 6610, 6610S, 6640, 6700, 6710, 6810, 7000, 7100, 7200, 7410, 7600

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD951AB/380		Disc Type - Rigid Woven OD - 13" Hub Size - 1-3/4" Spline - 10 Dual Power Models: 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5610S, 5640, 5700, 5900, 6410, 6600, 6610, 6610S, 6640, 6700, 6710, 6810, 7000, 7100, 7200, 7410, 7600
	510 0019 10	3182 001 002 471 3444 0 8186 4436 FONN-7580 AA	Release Bearing W/CARRIER Hydraulic Type, Includes 2 Port Slave Cylinder w/Sound Guard Cab Models: 5640, 6410, 6640, 6810
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Aetna: 2505T Models: 230A, 231, 233, 234, 333, 334, 335, 340, 420, 445, 515, 530A, 531, 532, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3550, 3910, 4000, 4100, 4110, 4140, 4330, 4340, 4400, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: Ford Major, Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340
	AG 03		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1" - 10T Pilot Diameter - 0.670 Models: 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 530A, 531, 532, 535, 540, 545, 550, 555, 655, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

13 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	FD863AB	D8NN-7563AB	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 4 Springs - 16 Flywheel Step - Flat Stage -Single Models: Ford Major, Super Major, 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5610S, 5700, 5900, 6410, 6600, 6610, 6610S, 6700, 6710, 6810, 7000, 7100, 7200, 7600
	F9607750		Disc Type - Spring Woven OD - 12-7/8" Hub Size - 1-3/8" Spline - 10 Models: Ford Major, Super Major
	F9607750 HD6		Disc Type - Rigid Ceramic Button OD - 12-7/8" Hub Size - 1-3/8" Spline - 10 Models: Ford Major, Super Major
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Golden Jubilee, Major, Super Dexta, Super Major, TW15, TW20, TW25, TW30, TW35, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

13 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748"
			Models: Golden Jubilee, Major, N Series, NAA, NAB, Super Dexta, Super Major, 2N, 8N, 9N, 230A, 231, 233, 234, 250C, 260C, 333, 334, 335, 340, 345, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 600, 601, 611, 620, 621, 630, 631, 640, 641, 651, 655, 660, 661, 671, 681, 700, 701, 740, 741, 761, 771, 800, 801, 811, 820, 821, 840, 841, 851, 860, 861, 871, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1800, 1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2100, 2110, 2111, 2130, 2131, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120, 3190, 3200, 3230, 3300, 3310, 3330, 3400, 3430, 3500, 3550, 3600, 3610, 3630, 3900, 3910, 3930, 4000, 4100, 4130, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110, 5190, 5200, 5340

Ford

13" - SINGLE STAGE #3 TRANS PTO OR NO PTO

Image	Part#/Price	Reference #	Application
	FD863AB	D8NN-7563AB	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 4 Springs - 16 Flywheel Step - Flat Stage -Single Models: 335, 340, 420, 445, 515, 532, 535, 545, 550, 555, 3400, 3550, 4330, 4340, 4400, 4410, 4500
	FE350BA/365		Disc Type - Spring Woven OD - 13" Hub Size - 1" Spline - 10 Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3400, 3430, 3500, 3550, 3630, 3910, 3930, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030
	FE350BA/380		Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3400, 3500, 3550, 3630, 3910, 3930, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030
	FE350BA/395	281211/395	Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3400, 3430, 3500, 3550, 3630, 3910, 3930, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030
	FE350BA HD6	281211-CB	Disc Type - Rigid Ceramic Button OD - 13" Hub Size - 1" Spline - 10 Models: 250C, 260C, 335, 340, 345, 420, 445, 515, 532, 535, 540, 545, 550, 555, 655, 2810, 2910, 3200, 3230, 3400, 3430, 3500, 3550, 3630, 3910, 3930, 4130, 4330, 4340, 4400, 4410, 4500, 4600, 4610, 4630, 4830, 5030

Ford

13" - SINGLE STAGE #3 TRANS PTO OR NO PTO

Image	Part#/Price	Reference #	Application
	FC750F		Disc Type - Rigid Organic OD - 13" Hub Size - 1" Spline - 15" Models: 4400, 4410, 4500
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: 230A, 231, 233, 234, 333, 334, 335, 340, 420, 445, 515, 530A, 531, 532, 535, 540, 545, 550, 555, 2000, 2100, 2110, 2150, 2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100, 3120, 3190, 3300, 3310, 3330, 3400, 3500, 3550, 3910, 4000, 4100, 4110, 4140, 4330, 4400, 4600, 4610, 5000, 5100, 5110, 5190, 5200, 5340

Ford

14 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	F82983566	135 0282 10	Pressure Plate Assembly Type - Diaphragm Plate Size - 14" Levers - Diaphragm Springs - Diaphragm Flywheel Step - 1.340" Stage -Single Models: 5610, 5610S, 6610, 6610S
	F82983565		Disc Type - Spring Ceramic Button OD - 14" Hub Size - 1-3/4" Spline - 10 Models: 5610, 5610S, 6610, 6610S
	836108		Pilot Bearing Models: TW5, TW10, TW15, TW20, TW25, TW30, TW35, 5000, 5100, 5110, 5190, 5200, 5340, 5600, 5610, 5610S, 5640, 5700, 5900, 6410, 6500, 6600, 6610, 6610S, 6640, 6700, 6710, 6810, 7000, 7100, 7200, 7410, 7600

Ford - New Holland

7-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273243	37150-14500	Pressure Plate Assembly Type - Diaphragm Plate Size - 7-1/4" Levers - Diaphragm Flywheel Step - Flat Stage -Single Models: TC18, TC21, TC23, TC24, TC26
	832102	832102 N2102	Release Bearing ID - 1.496" OD - 2.642" Thickness - .640 Models: TC18, TC21, TC23, TC24, TC26
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: Boomer 2030, Boomer 2035, Boomer 3040, Boomer 3045, Boomer 4055, T1510, T1520, T2210, T2220, T2310, T2320, T2330, T2410, TC18, TC21, TC23, TC24, TC25, TC26, TC27, TC29, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A

Ford - New Holland

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD450011N KIT	SBA320450011K	Clutch Kit Includes: 6001-2RS, AG 01, FD320021, FD450011, N3764
	FD450011	165317 SBA320450011	Pressure Plate Assembly Type - Lever Plate Size - 8-1/2" Levers - 3 Springs - 3 Flywheel Step - Flat Stage -Single Models: TC25, TC27, TC29

	FD320021 HD6	CD-3940-CB F400261-CB	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: TC25, TC27, TC29
	FD320021	CD-3940 F400261 FD320250	Disc Type - Rigid Woven OD - 8-1/2" Hub - 10 Hub Size - 15/16" Models: TC25, TC27, TC29
	N3764		Release Bearing ID - 1.771" OD - 2.900" Thickness - .700" Models: TC25, TC27, TC29

Ford - New Holland

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: Boomer 2030, Boomer 2035, Boomer 3040, Boomer 3045, Boomer 4055, T1510, T1520, T2210, T2220, T2310, T2320, T2330, T2410, TC18, TC21, TC23, TC24, TC25, TC26, TC27, TC29, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, TC48DA
	AG 01		Alignnt Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: TC25, TC27, TC29

Ford - New Holland

8-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320021	CD-3940 F400261 FD320250	Disc Type - Rigid Woven OD - 8-1/2" Hub - 10 Hub Size - 15/16" Models: TC29
	FD320260	K36260-14450 TD060-20500	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1-3/8" Spline - 19 Models: Boomer 2030, T1510, T1520, TC29, TC30
	FD320021 HD6	CD-3940-CB F400261-CB	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: TC25, TC27, TC29
	AG 01		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: TC25, TC27, TC29

Ford - New Holland

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FD320230		Pressure Plate Assembly Type - Diaphragm Plate Size - 9" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: Boomer 2030, Boomer 2035, T1510, T1520, T2210, T2220, TC30, TC31, TC33, TC34
	FD320530		Disc Type - Rigid Woven OD - 9" Hub Size - 15/16" Spline - 10 Models: Boomer 2030, Boomer 2035, T1510, T1520, T2210, T2220, TC30, TC31, TC33, TC34
	FD 320530 HD4		Disc Type - Rigid Ceramic Button OD - 9" Hub - 10 Hub Size - 15/16" Models: Boomer 2030, Boomer 2035, T1510, T1520, T2210, TC30, TC31, TC33, TC34
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: Boomer 33, Boomer 35, Boomer 37, Boomer 2030, Boomer 2035, Boomer 3040, Boomer 3045, T1510, T1520, T2210, T2220, T2310, T2320, T2330, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, Work Master 33, Work Master 35, Work Master 37, Work Master 40
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: Boomer 2030, Boomer 2035, Boomer 3045, Boomer 4055, T1510, T1520, T2210, T2220, T2310, T2320, T2330, T2410, TC18, TC21, TC23, TC24, TC25, TC26, TC27, TC29, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, TC48DA

Ford - New Holland

9 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	K35080	FD320980 K35080 K35080-14290	Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - 2 Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - .079" Stage -Dual Models: Boomer 2030, T1510, T1520, TC30
	FD320260	K36260-14450 TD060-20500	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1-3/8" Spline - 19 Models: Boomer 2030, T1510, T1520, TC29, TC30
	FD320620		Disc Type - Rigid Woven OD - 9" Hub Size - 15/16" Spline - 10 Models: Boomer 2030, T1510, T1520, TC30
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: Boomer 2030, T1510, T1520, TC29, TC30, TL100A, TM120, TM130, TM155, TM165, TM175, TM7030, TM7040, 8770
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: Boomer 2030, Boomer 2035, Boomer 3040, Boomer 3045, Boomer 4055, T1510, T1520, T2210, T2220, T2310, T2320, T2330, T2410, TC18, TC21, TC23, TC24, TC25, TC26, TC27, TC29, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, TC48DA

Ford - New Holland

9-1/2 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	R127827		Pressure Plate Assembly Plate Size - 9-1/2" Flywheel Step - Flat Stage -Single Models: Boomer 33, Boomer 35, Boomer 37
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: Boomer 33, Boomer 35, Boomer 37, Boomer 2030, Boomer 2035, Boomer 3040, Boomer 3045, T1510, T1520, T2210

Ford - New Holland

9-1/2 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	K20206N-FORD KIT		Clutch Kit Includes: 6001-2RS, FD320560, K20206, N018 Models: Boomer 3040, Boomer 3045, T2310, TC35, TC35A, TC40
	K20206N-FORD CB KIT		Clutch Kit Includes: 6001-2RS, FD320560 HD4, K20206, N018 Models: Boomer 3040, Boomer 3045, T2310, TC35, TC35A, TC40
	K20206	K31301-14600 KTA020-20600	Pressure Plate Assembly Type - Diaphragm Plate Size - 9-1/2" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: Boomer 3045, T2310, TC35, TC35A, TC40
	FD320560		Disc Type - Spring Woven OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: Boomer 3040, Boomer 3045, T2310, TC35, TC35A, TC40
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: Boomer 33, Boomer 35, Boomer 37, Boomer 2030, Boomer 2035, Boomer 3040, Boomer 3045, T1510, T1520, T2210, T2220, T2310, T2320, T2330, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, Work Master 33, Work Master 35, Work Master 37, Work Master 40

Ford - New Holland

9-1/2 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: Boomer 40, Boomer 41, Boomer 50, Boomer 3040, Boomer 3045, Boomer 4055, T2410, TC35, TC35A, TC40, TC45, TC45A, TC48DA, TC55
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: Boomer 2030, Boomer 2035, Boomer 3045, Boomer 4055, T1510, T1520, T2210, T2220, T2310, T2320, T2330, T2410, TC18, TC21, TC23, TC24, TC25, TC26, TC27, TC29, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, TC48DA

Ford - New Holland

10-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K40206		Pressure Plate Assembly Type - Diaphragm Plate Size - 10-1/4" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: T2320, T2330, TC45, TC45A
	FD320570		Disc Type - Spring Woven OD - 10-1/4" Hub Size - 1-3/16" Spline - 16 Models: T2320, T2330, TC45, TC45A
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: Boomer 33, Boomer 35, Boomer 37, Boomer 2030, Boomer 2035, Boomer 3040, Boomer 3045, T1510, T1520, T2210, T2220, T2310, T2320, T2330, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, Work Master 33, Work Master 35, Work Master 37, Work Master 40
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: Boomer 40, Boomer 41, Boomer 50, Boomer 3040, Boomer 3045, Boomer 4055, T2410, TC35, TC35A, TC40, TC45, TC48DA, TC55
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: Boomer 2030, Boomer 2035, Boomer 3045, Boomer 4055, T1510, T1520, T2210, T2220, T2310, T2320, T2330, T2410, TC18, TC21, TC23, TC24, TC25, TC26, TC27, TC29, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, TC48DA

Ford - New Holland

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FE563A		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 9 Flywheel Step - Flat Stage -Single Models: 1045 Bale Wagon, 1047 Bale Wagon
	FD850DA		Disc Type - Rigid Woven OD - 11" Hub Size - 1-3/8" Spline - 10 Models: 1045 Bale Wagon, 1047 Bale Wagon

Ford - New Holland

11 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	K32530	3A481-25110 SC32232	Pressure Plate Assembly Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: Boomer 40, Boomer 41, Boomer 50
	M01250067		Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: Boomer 40, Boomer 41, Boomer 50
	M01250067 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: Boomer 40, Boomer 41, Boomer 50
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: Boomer 40, Boomer 41, Boomer 50

Ford - New Holland

11 INCH - SINGLE STAGE #3

Image	Part#/Price	Reference #	Application
	FD450310N KIT		Clutch Kit Includes: 6001-2RS, FD320650, FD450310, RCT55B
	FD450310N-R KIT		Clutch Kit Includes: 6001-2RS, FD320651, FD450310, RCT55B
	FD450310		Pressure Plate Assembly Type - Diaphragm Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: Boomer 4055, T2410, TC48DA, TC55
	FD320650		Disc Type - Spring Woven OD - 11" Hub Size - 1-3/8" Spline - 19 Models: Boomer 4055, T2410, TC48DA, TC55
	FD320651		Disc Type - Rigid Woven OD - 11" Hub Size - 1-3/8" Spline - 19 Models: Boomer 4055, T2410, TC48DA, TC55
	FD320650 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: Boomer 4055, T2410, TC48DA, TC55


Ford - New Holland

11 INCH - SINGLE STAGE #3

Image	Part#/Price	Reference #	Application
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: Boomer 40, Boomer 41, Boomer 50, Boomer 3045, Boomer 4055, T2410, TC35, TC35A, TC40, TC45, TC45A, TC48DA, TC55
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: Boomer 2030, Boomer 2035, Boomer 3045, Boomer 4055, T1510, T1520, T2210, T2220, T2310, T2320, T2330, T2410, TC18, TC21, TC23, TC24, TC25, TC26, TC27, TC29, TC30, TC31, TC33, TC34, TC35, TC35A, TC40, TC45, TC45A, TC48DA

Ford - New Holland

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	F5181421		Pressure Plate Assembly Type - Lever Style Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .020 Stage -Dual Models: T4020, T4030, T4040
	F5181422	328 0261 10	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: T4020, T4030, T4040
	F5176450	328 0332 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 15/16" Spline - 10 Models: T4020, T4030, T4040

Ford - New Holland

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: T4020, T4030, T4040
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: T4020, T4030, T4040
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: T4020, T4030, T4040
	AG 29		Alignment Tool Large Spline - 1 9/16" - 14T Small Spline - 1" - 10T Pilot Diameter - 0.667 Models: T4020, T4030, T4040

Ford - New Holland

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	D2094463	228 0077 10	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .079 Stage -Dual Models: TD60D, TD70D, TD75D, TD80D, TD90D, TT55, TT65, TT75, 5635, 6635
	D272699		Disc Type - Rigid Woven OD - 11" Hub Size - 1-9/16" Spline - 14 Models: TD60D, TD70D, TD75D, TD80D, TD90D, TT55, TT65, TT75, 5635, 6635
	D2093949	328 0185 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: TD60D, TD70D, TD75D, TD80D, TD90D, TT55, TT65, TT75, 5635, 6635

Ford - New Holland

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	D2091671		Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 10 Models: TD60D, TD70D, TD75D, TD80D, TD90D, TT55, TT65, TT75, 5635, 6635
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: T4020, T4030, T4040, T5040, T5050, T5060, TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT55, TT60A, TT65, TT75, TT75A, Work Master 45, Work Master 55, Work Master 65, Work Master 75, 4835, 5635, 6635, 7635
	6014-2RS	500 0284 00 830114 AR27447	Pilot Bearing ID - 2.758" OD - 4.328" Thickness - 0.784" Models: TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TD5050, TT55, TT60A, TT65, TT75, TT75A, Work Master 45, Work Master 55, Work Master 65, Work Master 75, 5635, 6635
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: T4020, T4030, T4040, T5040, T5050, T5060, TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, TM110, TM115, TM120, TM125, TM130, TM135, TM140, TM150, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT55, TT60A, TT65, TT75, TT75A, Work Master 45, Work Master 55, Work Master 65, Work Master 75, 4835, 5635, 6635, 7635, 8160, 8260

Ford - New Holland

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	AG 29		Alignment Tool Large Spline - 1 9/16" - 14T Small Spline - 1" - 10T Pilot Diameter - 0.667 Models: T4020, T4030, T4040, TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT55, TT60A, TT65, TT75, TT75A, Work Master 65, Work Master 75, 5635, 6635

Ford - New Holland

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	F5181421		Pressure Plate Assembly Type - Lever Style Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .020 Stage -Dual Models: T4020, T4030, T4040, TD60D, TD70D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95
	F5181422	328 0261 10	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: T4020, T4030, T4040, TD60D, TD70D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT60A, TT75A, Work Master 45, Work Master 55, Work Master 65, Work Master 75
	F5176450	328 0332 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 15/16" Spline - 10 Models: T4020, T4030, T4040, TD60D, TD70D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT60A, TT75A, Work Master 45, Work Master 55, Work Master 65, Work Master 75

Ford - New Holland

11" DUAL STAGE W/SINGLE LEVER PTO

Image	Part#/Price	Reference #	Application
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: T4020, T4030, T4040, T5040, T5050, T5060, TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT55, TT60A, TT65, TT75, TT75A, Work Master 45, Work Master 55, Work Master 65, 4835, 5635, 6635, 7635

Ford - New Holland

11 INCH CLUTCH POWERSHIFT

Image	Part#/Price	Reference #	Application
	F5181427		Pressure Plate Assembly Type - Lever Style Plate Size - 11" Levers - 3 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .020" Stage -Powershift Models: T4020, T4030, T4040
	F5176450	328 0332 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 15/16" Spline - 10 Models: T4020, T4030, T4040
	6015-2RS	500 0400 00	Pilot Bearing ID - 2.952" OD - 4.525" Thickness - 0.785" Models: T4020, T4030, T4040
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: T4020, T4030, T4040

Ford - New Holland

12-1/4 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	F5189825		Pressure Plate Assembly Type - Diaphragm Plate Size - 12-1/4" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: T5040, TL80, TL90, TL100, 4835, 5635, 6635, 7635
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: T5040, T5050, T5060, TD95D, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, 4835, 5635, 6635, 7635
	6303-2RS	410 0025 00	Pilot Bearing ID - .669" OD - 1.850" Thickness - .550" Models: T5040

Ford - New Holland

12-1/4 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	F5189875N KIT		Clutch Kit Includes: 500 0459 00, 6015-2RS, 6303-2RS, F5189875, M3105233
	F5189875CBN KIT		Clutch Kit Includes: 500 0459 00, 6015-2RS, 6303-2RS, F5189875
	F5189875	231 0088 10	Pressure Plate Assembly Type - Lever Plate Size - 12-1/4" Levers - 6 Springs - Belleville Hub/Spline - 1-3/4" x 16 Flywheel Step - .018 Stage -Dual Models: T5040, T5050, T5060, TD95D, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, 4835, 5635, 6635, 7635

Ford - New Holland

12-1/4 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	F5189823		Disc Type - Spring Ceramic OD - 12-1/4" Hub Size - 1-3/4" Spline - 16 Models: T5040, T5050, T5060, TD95D, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, 4835, 5635, 6635, 7635
	M3105233		Disc Type - Rigid Woven OD - 12-1/4" Hub Size - 15/16" Spline - 10 Models: T5040, T5050, T5060, TD95D, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, 4835, 5635, 6635, 7635
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: T4020, T4030, T4040, T5040, T5050, T5060, TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT55, TT60A, TT65, TT75, TT75A, Work Master 45, Work Master 55, Work Master 65, Work Master 75, 4835, 5635, 6635, 7635

Ford - New Holland

12-1/4 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: T4020, T4030, T4040, T5040, T5050, T5060, TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TD5010, TD5020, TD5030, TD5050, TL70, TL80, TL80A, TL90, TL90A, TL100, TL100A, TN55, TN60, TN65, TN70, TN75, TN80, TN85, TN90, TN95, TT55, TT60A, TT65, TT75, TT75A, Work Master 45, Work Master 55, Work Master 65, Work Master 75, 4835, 5635, 6635, 7635

Ford - New Holland

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	F5980274		Pressure Plate Assembly Type - Lever Plate Size - 12-7/8" Levers - 4 Springs - 16 Stage -Single Models: 1049 Bale Wagon, 1065 Bale Wagon, 1068 Bale Wagon, 1069 Bale Wagon, 1075 Bale Wagon, 1280 Bale Wagon
	F9607750		Disc Type - Spring Woven OD - 12-7/8" Hub Size - 1-3/8" Spline - 10 Models: 1049 Bale Wagon, 1065 Bale Wagon, 1068 Bale Wagon, 1069 Bale Wagon, 1075 Bale Wagon, 1280 Bale Wagon
	F9607750 HD6		Disc Type - Rigid Ceramic Button OD - 12-7/8" Hub Size - 1-3/8" Spline - 10 Models: 1049 Bale Wagon, 1065 Bale Wagon, 1068 Bale Wagon, 1069 Bale Wagon, 1075 Bale Wagon, 1280 Bale Wagon
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: 1049 Bale Wagon, 1065 Bale Wagon, 1068 Bale Wagon, 1069 Bale Wagon, 1075 Bale Wagon, 1280 Bale Wagon, 8500 Bale Wagon, BSD442, BW28, C185, C190, LM640, LM5040, LS140, LS150, N135, M160, PX110, PX140, T7.175, T7.190, T7.200, T7.205, T7.210, T7.225, T1010, T1030, T2410, T4020, T4040, T5030, TM180, 575, 8670A, 8770A, 8870, 9482

Ford - New Holland

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 1049 Bale Wagon, 1065 Bale Wagon, 1068 Bale Wagon, 1069 Bale Wagon, 1075 Bale Wagon, 1280 Bale Wagon, L553, L555, L565, L783, L785, L865, LB110, LB90, LS140, LS150, LS170, LS180, LS185, LT185, LX465, LX565, LX665, LX865, LX885, M100, T7.190, T7.200, T7.205, T7.210, T7.225, T1010, T1030, T1510, T1520, T2210, TB80, TD95D, TD5010, TG230, TK85, TL90, TL90A, TL100, TM135, TM140, TM150, TM180, TM190, TM7010, TM7020, TN55, TN60, TN65, TN75, TN85, TN90, TN95, TR70, TR75, TR85, TR87, TR95, TR96, TR98, TS6.110, TS6.120, TS6.140, RS100A, TS110A, TS115, TS135A, TS6030, TT60A, TT65, TT75, TV140, TV145, TZ24DA, TZ25DA, U80B, Work Master 33
	6205-2RS		Pilot Bearing ID - .984" OD - 2.047" Thickness - .590" Models: 1049 Bale Wagon, 1065 Bale Wagon, 1068 Bale Wagon, 1069 Bale Wagon, 1075 Bale Wagon, 1280 Bale Wagon, 8500 Bale Wagon
	6005-2RS	836005	Pilot Bearing ID - 0.984" OD - 1.850" Thickness - 0.472" Models: 1049 Bale Wagon, 1065 Bale Wagon, 1068 Bale Wagon, 1069 Bale Wagon, 1075 Bale Wagon, 1280 Bale Wagon

Ford - New Holland

13-3/4" TORSIONAL DAMPER

Image	Part#/Price	Reference #	Application
	87542609	1866 600 022 370 0032 10 D8NN7550AA	Disc Type - Spring OD - 13-3/4" Hub Size - 1-9/16" Spline - 14 Models: T6030, T6050, T6070, T6080, T7030, T7040, T7050, T7060, TM120, TM130, TM140, TM155, TM175, TM190

Ford - New Holland

14 INCH - SINGLE STAGE

Image	Part# / Price	Reference #	Application
	510 0019 10	3182 001 002 471 3444 0 8186 4436 FONN-7580 AA	Release Bearing Models: T6030, T6050, TS80, TS90, TS100, TS110, TS115
	836108		Pilot Bearing Models: T6030, T6050, TB80, TB85, TB90, TB100, TB110, TB120, TS80, TS90, TS100, TS110, TS115, TS6020, TS6030

Ford - New Holland

14 INCH - SINGLE STAGE 2

Image	Part#/Price	Reference #	Application
	F82983566	135 0282 10	Pressure Plate Assembly Type - Diaphragm Plate Size - 14" Levers - Diaphragm Springs - Diaphragm Flywheel Step - 1.340" Stage -Single Models: T6030, T6050, TB80, TB85, TB90, TB100, TB110, TB120, TS6020, TS6030
	F82983565		Disc Type - Spring Ceramic Button OD - 14" Hub Size - 1-3/4" Spline - 10 Models: T6030, T6050, TB80, TB85, TB90, TB100, TB110, TB120, TS6020, TS6030

	836108		Pilot Bearing Models: T6030, T6050, TB80, TB85, TB90, TB100, TB110, TB120, TS80, TS90, TS100, TS110, TS115, TS6020, TS6030
--	---------------	--	---

International

5-1/2 INCH

Image	Part#/Price	Reference #	Application
	404639N KIT		Clutch Kit Includes: 251266, 404639, 404640, AT 5336
	404639		Pressure Plate Assembly Type - Lever Plate Size - 5-1/2" Levers - 3 Springs - 3 Flywheel Step - Flat Stage -Single Models: CUB 154 LO-BOY, CUB 185 LO-BOY, 184,
	404640		Disc Type - Rigid Woven OD - 5-1/2" Hub Size - 15/16" Spline - 10 Models: CUB 154 LO-BOY, CUB 185 LO-BOY, 184
	832102	832102 N2102	Release Bearing ID - 1.496" OD - 2.642" Thickness - .640 Models: 184, 274, 284
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 184, 274, 284
	251266		Pilot Bearing ID - 0.627" OD - 0.815" Thickness - 1.060" Models: CUB 154 LO-BOY, CUB 185 LO-BOY, 184

International

5-1/2 INCH

Image	Part#/Price	Reference #	Application
	AT 5336		Alignment Tool Large Spline - 15/16" x 10 Small Spline - N/A Pilot Diameter - .625 Models: CUB 154 LO-BOY, CUB 185 LO-BOY, 184

International

6-1/2 INCH

Image	Part#/Price	Reference #	Application
	351760N IHC-KIT	351760R91	Clutch Kit Includes: 251266, 351760, 351773, 8350921, AT 5336
	351760	1500362M92 CA5256 D800023	Pressure Plate Assembly Type - Lever Plate Size - 6-1/2" Levers - 3 Springs - 6 Stage -Single Models: CUB, CUB-LOBOY
	351773	1500374M92	Disc Type - Rigid Woven OD - 6-1/2" Hub Size - 15/16" Spline - 10 Models: CUB, CUB-LOBOY
	8350921	8301118 MB676	Release Bearing Bearing & Retainer W/Fitting Models: CUB, CUB-LOBOY
	251266		Pilot Bearing ID - 0.627" OD - 0.815" Thickness - 1.060" Models: CUB, CUB-LOBOY
	AT 5336		Alignment Tool Large Spline - 15/16" x 10 Small Spline - N/A Pilot Diameter - .625 Models: CUB, CUB-LOBOY

International

8 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273254	6C040-13300 973728	Pressure Plate Assembly Type - Diaphragm Plate Size - 8" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: 244, 254, 284
	N3804	834081 N4081	Release Bearing ID - 1.574" OD - 2.500" Thickness - .610" Models: 234, 244, 254
	832102	832102 N2102	Release Bearing ID - 1.496" OD - 2.642" Thickness - .640 Models: 184, 274, 284
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: 234, 244, 254
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 184, 274, 284

International

9 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	375493		Pressure Plate Assembly Plate Size - 9" Levers - 3 Springs - 6 Flywheel Step - 1.188" Stage -Single Models: A, B, C, Super A, Super C, 100, 130, 140, 200, 203, 205, 230, 240, 404, 660 HIGH BOY, 2404
	56631		Disc Type - Spring Woven OD - 9" Hub Size - 1-1/4" Spline - 6 Models: A, B, C, Super A, Super C, 100, 130, 140, 200, 230, 240, 2404

	56632		Disc Type - Rigid Woven OD - 9" Hub Size - 1-1/4" Spline - 6 Models: A, B, C, Super A, Super C, 100, 130, 140, 200, 230, 240, 2404
	384384 HD6		Disc Type - Spring Ceramic Button OD - 9 Hub Size - 1-1/4" Spline - 6 Models: A, B, C, Super A, Super C, 100, 130, 140, 200, 230, 240, 404, 2404

International

9 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	N1167	832063 RCB6136C	Release Bearing ID - 2.062" OD - 3.328" Thickness - 0.750" Models: A, B, C, H, HV, Super A, Super C, Super H, Super HV, Super W4, W4, 100, 101, 130, 140, 141, 151, 181, 200, 203, 205, 230, 240, 303, 404, 660 HIGH BOY, 2404
	364527		Pilot Bearing ID - 0.883" OD - 1.125" Thickness - 0.995" Models: A, B, C, Super A, Super C, 100, 130, 140, 200, 230, 240, 404, 2404
	AG 34		Alignment Tool Large Spline - 1-1/4" Small Spline - 6 Pilot Diameter - 0.883" Models: A, B, C, Super A, Super C, 100, 130, 140, 200, 230, 240, 2404

International

9 INCH - STEERING BRAKE DISC

Image	Part#/Price	Reference #	Application
	375494		Pressure Plate Assembly 9" PPA Single Stage T4, TD4B, TD-4, 500 Models: T4, T4B, T5, TD4, 500
	675 848R2	675848	Steering Disc Description - Fiber OD - 9" Internal Teeth - 26 Models: T4, T4B, T5, TD4, 500
	635 384R2	635384	Steering Disc Description - Steel OD - 9" Tangs - 9 Models: T4, T4B, T5, TD4, 500
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Greasable Models: F12, F14, Super MTA, T4, T4B, T5, TD4, W12, 300, 303, 330, 340, 350, 400, 403, 450, 460, 500, 503, 504, 544, 560, 606, 615, 656, 660, 664, 666, 686, 715, 2504, 2544, 2606, 2656

International

10 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	52900N KIT		Clutch Kit Includes: 52900, 6205-2RS, 64772, AG 39, N1167
	52900		Pressure Plate Assembly Type - Lever Plate Size - 10" Levers - 3 Springs - 6 Flywheel Step - 1.188" Stage -Single Models: H, HV, W4
	64772	SAT759	Disc Type - Rigid Organic OD - 10" Hub Size - 1-1/4" Spline - 10 Models: H, HV, W4
	N1167	832063 RCB6136C	Release Bearing ID - 2.062" OD - 3.328" Thickness - 0.750" Models: H, HV, W4
	6205-2RS		Pilot Bearing ID - .984" OD - 2.047" Thickness - .590" Models: H, HV, W4
	AG 34		Alignment Tool Large Spline - 1-1/4" Small Spline - 6 Pilot Diameter - 0.883" Models: H, HV, W4

International

10 INCH STEERING CLUTCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	676827		Pressure Plate Assembly Type - Lever Plate Size - 10" Levers - 3 Springs - 9 Stage -Single Models: TD4, TD5, 500C, 500E

International

10 INCH - STEERING BRAKE DISC

Image	Part#/Price	Reference #	Application
	676 834R2	GRT-1219	Steering Disc Description - Fiber OD - 9-15/16" Internal Teeth - 33 Models: 500, 500C, 500E
	676 833R1	676833	Steering Disc Description - Steel OD - 10" Tangs - 9 Models: 500, 500C, 500E

International

11 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1500655N KIT		Clutch Kit Includes: 2375-F, 6204-2RS, 70093, 70716, AG 02
	70716	1994425C1 68211C91	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 6 Hub/Spline - 1-5/8" x 10 Flywheel Step - 1.443" Stage -Single Models: 248, 250A, 258, 260A, 268, 385, 454, 464, 484, 485, 574, 584, 585, 674, 684, 784, 785, 884, 885, 2200, 2400A, 2400B, 2500A, 2500B, 2510, 3400A, 3500A, 4500
	390010		Disc Type - Spring Woven OD - 11" Hub Size - 1-1/8" Spline - 10 Models: B275, B414, 276, 354, 364, 384, 414, 424, 434, 444, 2300, 2350, 2424, 2444, 3414, 3444
	70093	1944253C1 70093C91	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-1/8" Spline - 10 Models: 248, 250A, 258, 260A, 268, 385, 454, 464, 484, 485, 574, 584, 585, 674, 684, 784, 785, 884, 885, 2200, 2400A, 2400B, 2500A, 2500B, 2510, 3400A, 3500A, 4500

International

11 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	2375-F		Release Bearing ID - 2.375" OD - 3.850" Thickness - .810 Aetna: A2087 Models: T4, T4B, TD4, TD5, 248, 250A, 258, 260A, 268, 300, 330, 340, 350, 385, 424, 444, 454, 460, 464, 484, 485, 500, 500C, 500E, 504, 544, 574, 584, 585, 606, 656, 664, 666, 674, 684, 685, 686, 784, 785, 884, 885, 2200, 2400A, 2400B, 2424, 2444, 2500, 2500A, 2500B, 2504, 2510, 2544, 2606, 2656, 3400A, 3444, 3500A, 3514, 3616, 4500
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: B275, B414, 101, 141, 151, 181, 203, 205, 248, 250A, 258, 260A, 268, 276, 303, 330, 340, 354, 364, 384, 385, 403, 414, 424, 434, 444, 454, 464, 484, 485, 503, 504, 574, 584, 585, 615, 624, 660 HIGH BOY, 674, 684, 685, 715, 724, 784, 785, 824, 844, 884, 885, 2200, 2300, 2300A, 2350, 2400A, 2400B, 2424, 2444, 2500, 2500A, 2500B, 2504, 2510, 3400A, 3414, 3444, 3500A, 4500
	AG 02		Alignment Tool Large Spline - 1 5/8" - 10T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.750 Models: 248, 250A, 258, 260A, 268, 385, 434, 454, 464, 484, 485, 574, 584, 585, 674, 684, 685, 784, 785, 884, 885, 2200, 2400A, 2400B, 2500A, 2500B, 2510, 3400A, 3500A, 4500

International

12 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	85025	131 0038 10	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 10 Flywheel Step - 1.406" Stage -Single Models: 584, 585, 684, 685, 784, 785, 884, 885

	85026 HD6		Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 584, 585, 684, 685, 784, 785, 884, 885
	2375-F		Release Bearing ID - 2.375" OD - 3.850" Thickness - .810 Models: T4, T4B, TD4, TD5, 248, 250A, 258, 260A, 268, 300, 330, 340, 350, 385, 424, 444, 454, 460, 464, 484, 485, 500, 500C, 500E, 504, 544, 574, 584, 585, 606, 656, 664, 666, 674, 684, 685, 686, 784, 785, 884, 885, 2200, 2400A, 2400B, 2424, 2444, 2500, 2500A, 2500B, 2504, 2510, 2544, 2606, 2656, 3400A, 3444, 3500A, 3514, 3616, 4500

International

12 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: B275, B414, 101, 141, 151, 181, 203, 205, 248, 250A, 258, 260A, 268, 276, 303, 330, 340, 354, 364, 384, 385, 403, 414, 424, 434, 444, 454, 464, 484, 485, 503, 504, 574, 584, 585, 615, 624, 660 HIGH BOY, 674, 684, 685, 715, 724, 784, 785, 824, 844, 884, 885, 2200, 2300, 2300A, 2350, 2400A, 2400B, 2424, 2444, 2500, 2500A, 2500B, 2504, 2510, 3400A, 3414, 3444, 3500A, 4500
	AG 02		Alignment Tool Large Spline - 1 5/8" - 10T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.750 Models: 248, 250A, 258, 260A, 268, 385, 434, 454, 464, 484, 485, 574, 584, 585, 674, 684, 685, 784, 785, 884, 885, 2200, 2400A, 2400B, 2500A, 2500B, 2510, 3400A, 3500A, 4500

International

12 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	405300N KIT		Clutch Kit Includes: 15" INSERT, 15" KRAFT BOX, 384395-HD6, 405300, 6304-2RS, AG 17
	405300		Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 12 Hub/Spline - 1-3/4" x 17 Flywheel Step - 1.406" Stage -Single Models: 660, 706, 756, 766, 786, 806, 826, 856, 886, 966, 2706, 2756, 2806, 2826, 2856, 3088, 3288
	384395-HD6		Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-3/16" Spline - 11 Models: 1 3/16"-11 Spline-Puller, Super MTA, Super W6, 400, 450, 560, 660, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3688
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: 1 3/16"-11 Spline-Puller, Super MTA, Super W6, 400, 450, 560, 660, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3688

International

12 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	6304-2RS		Pilot Bearing ID - .787" OD - 2.047" Thickness - .590" Models: 1 3/16"-11 Spline-Puller, 300, 350, 460, 544, 606, 656, 664, 666, 686, 706, 756, 766, 786, 806, 815, 826, 856, 886, 915, 966, 986, 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 1566, 1586, 2500, 2544, 2606, 2656, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3388, 3514, 3588, 3616, 3688, 3788, 4100, 4156, 4166, 4186, 6388, 6588, 6788, 21206, 21256
	AG 17		Alignment Tool Large Spline - 1 3/4" - 17T Small Spline - 1 3/16" - 11T Pilot Diameter - 0.787 Models: 1 3/16"-11 Spline-Puller, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986, 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3688, 4100, 4156, 4166, 4186, 21026, 21456

International

12 INCH - DUAL STATE #1

Image	Part#/Price	Reference #	Application
	230 0011 14		Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 6 Springs - Belleville Hub/Spline - 1-3/4" x 22 Flywheel Step - .110 Stage -Dual Models: 624, 724, 824, 844
	330 0015 12		Disc Type - Spring Ceramic Button OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 624, 724, 824, 844
	6015-2RS	500 0400 00	Pilot Bearing ID - 2.952" OD - 4.525" Thickness - 0.785" Models: 624, 724, 824, 844
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: B275, B414, 101, 141, 151, 181, 203, 205, 248, 250A, 258, 260A, 268, 276, 303, 330, 340, 354, 364, 384, 385, 403, 414, 424, 434, 444, 454, 464, 484, 485, 503, 504, 574, 584, 585, 615, 624, 660 HIGH BOY, 674, 684, 685, 715, 724, 784, 785, 824, 844, 884, 885, 2200, 2300, 2300A, 2350, 2400A, 2400B, 2424, 2444, 2500, 2500A, 2500B, 2504, 2510, 3400A, 3414, 3444, 3500A, 4500

International

14' SINGLE STAGE

Image	Part#/Price	Reference #	Application
	67597		Pressure Plate Assembly Plate Size - 14" Levers - 3 Springs - 15 Hub/Spline - 1-3/4" - 17 Flywheel Step - 1.938" Stage -Single FOR TRACTORS WITH HYDRAULIC CLUTCH ASSIST. Models: 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 4100, 4156, 4166, 4186, 21206, 21256, 21456
	67600-HD6		Disc Type - Spring Ceramic Button OD - 14" Hub Size - 1-3/16" Spline - 11 Models: 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 3388, 3588, 4100, 4156, 4166, 4186, 6388, 6588, 21206, 21256, 21456
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: Super W6, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986, 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 1566, 1586, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3388, 3588, 3688, 3788, 4100, 4156, 4166, 4186, 6388, 6788, 21206, 21256, 21456
	6304-2RS		Pilot Bearing ID - .787" OD - 2.047" Thickness - .590" Models: 1 3/16"-11 Spline-Puller, 300, 350, 460, 544, 606, 656, 664, 666, 686, 706, 756, 766, 786, 806, 815, 826, 856, 915, 966, 986, 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 1566, 1586, 2500, 2544, 2606, 2656, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3388, 3514, 3588, 3616, 3688, 3788, 4100, 4156, 4166, 4186, 6388, 6588, 6788, 21206, 21256, 21456

International

14' SINGLE STAGE

Image	Part#/Price	Reference #	Application
	AG 17		Alignment Tool Large Spline - 1 3/4" - 17T Small Spline - 1 3/16" - 11T Pilot Diameter - 0.787 Models: 1 3/16"-11 Spline-Puller, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986, 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3688, 4100, 4156, 4166, 4186, 21206, 21256, 21456

International

14 INCH - FLEX PLATE

Image	Part#/Price	Reference #	Application
	92590N		Disc Type - Spring Flex Plate OD - 14" Hub Size - 1-3/4" Spline - 13 With 6 Mounting Holes Models: 1420, 1440, 1460, 1480, 1620, 1640, 1660, 1670, 1680, 5088, 5288, 5488, 7288, 7488

John Deere

7-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	Y194440N KIT-JD		Clutch Kit Includes: 1273242, N3804, Y194440
	Y194440		Pressure Plate Assembly Type - Diaphragm Plate Size - 7-1/4" Levers - Diaphragm Springs - Diaphragm Flywheel Step - .020" Stage -Single Models: 4100, 4110
	1273242		Disc Type - Spring Organic OD - 7-1/4" Hub Size - 3/4" Spline - 10 Models: 4100, 4110
	N3804	834081 N4081	Release Bearing ID - 1.574" OD - 2.500" Thickness - .610" Models: 650, 670, 750, 770, 790, 4100, 4110

John Deere

8 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273254N-KIT		Clutch Kit Includes: 1273254, 6202-2RS, 973727, AT 5310, N3804
	1273254	6C040-13300 973728	Pressure Plate Assembly Type - Diaphragm Plate Size - 8" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: 650, 750, 790
	N3804	834081 N4081	Release Bearing ID - 1.574" OD - 2.500" Thickness - .610" Models: 650, 750, 790
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 650, 750, 790
	AT 5310		Alignment Tool Large Spline - 7/8" x 20 Small Spline - N/A Pilot Diameter - .590 Models: 650, 750, 790

John Deere

8-1/2" INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	R11720N KIT		Clutch Kit Includes: K32420, N3764, R11720
	R11720		Pressure Plate Assembly Plate Size - 8-1/2" Levers - 3 Springs - 6 Flywheel Step - .180" Stage -Single W/Release Plate Models: 850, 950
	K32420	R18375	Disc Type - Spring Woven OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 850, 950
	K32420-R	CD2425 R18374	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 850, 950
	K32420 HD4	CD2425 HD4 R18374 HD4	Disc Type - Rigid Ceramic Btn OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 850, 950

John Deere

8-1/2" INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K32420-HD-6	K32420-1440-CB R18375 HD6	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 850, 950
	N3764		Release Bearing ID - 1.771" OD - 2.900" Thickness - .700" Models: 850, 950

John Deere

8-1/2 INCH - STEERING CLUTCH

Image	Part#/Price	Reference #	Application
	R11853		Pressure Plate Assembly Plate Size - 8-1/2" Levers - 3 Springs - 6 - 3 Outer / 3 Inner Stage -Single Models: 40C, 420, 440, MC, 1010
	R3293T	GRT-8019 M-3293-T	Steering Disc Type - Fiber Steering Clutch OD - 8-1/2" Internal Teeth - 26 Identify drum size to determine quantity of fiber discs required. Models: 40C, 420, 440, MC, 1010
	R872T	M872T	Steering Disc Description - Steel Steering Clutch OD - 8-1/2" Tangs - 6 Identify drum size to determine quantity of steel plates required. Models: 40C, 420, 440, MC, 1010
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: 40C, 420, 440, MC, 1010

John Deere

9 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	R18376N KIT		Clutch Kit Includes: 6203-2RS, AG 21, FD320051, N039, R18376, TECH BULLETIN JD-1
	R18376-CB-N KIT		Clutch Kit Includes: 6203-2RS, AG 21, FD320051 HD6, N039, R18376-R
	R18377N KIT		Clutch Kit Includes: 6203-2RS, AG 21, FD320051, N039, R18377
	R18376-R		Pressure Plate Assembly Type - Dual Stage Plate Size - 9" Levers - 3 Springs - 2 - Belleville Hub/Spline - 1-3/8" - 19 Flywheel Step - .020" PPA w/Dowel Holes Includes Rigid Woven Disc Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	R18376		Pressure Plate Assembly Type - Dual Stage Plate Size - 9" Levers - 3 Springs - 2 - Belleville Hub/Spline - 1-3/8" - 19 Flywheel Step - .020" PPA W/Dowel Holes Includes Spring Woven Disc Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005

John Deere

9 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	R18377		Pressure Plate Assembly Type - Dual Stage Plate Size - 9" Levers - 3 Springs - 2 - belleville Hub/Spline - 1-3/8" - 19 Flywheel Step - .020' Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	R18382		Disc Type - Spring Woven OD - 9" Hub - 1-3/8" Spline - 19 Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	R18382HD4		Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	R18382 HD6		Disc Type - Spring Ceramic Btn OD - 9" Hub - 1-3/8" Hub Size - 19 Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005

John Deere

9 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320051	R13090	Disc Type - Rigid Woven OD - 9" Hub - 15/16" Spline - 13 Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	FD320051 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub - 15/16" Spline - 13 Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	M3703735-HD-4		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 15/16" Spline - 13 Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	M3703735 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 15/16" Spline - 13 Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 850, 870, 900HC, 950, 970, 990, 1050, 1070, 4005

John Deere

9 INCH - STEERING CLUTCH

Image	Part#/Price	Reference #	Application
	R-20790	GRT-8030 T-20790	Steering Disc Description - Fiber OD - 9" Internal Teeth - 30 Models: 350, 350B
	R-21315	T-21315	Steering Disc Description - Steel OD - 9-5/8" Tangs - 6 Models: 350, 350B
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: 350, 350B
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 350, 350B


John Deere

9-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	R127827		Pressure Plate Assembly Plate Size - 9-1/2" Flywheel Step - Flat Stage -Single Models: 4500, 4510, 4600, 4610, 4700
	FD320160	F400441 R127829	Disc Type - Rigid Woven OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: 4500, 4510, 4600, 4610, 4700
	R127828 HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: 4500, 4510, 4600, 4610, 4700
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: 4500, 4510, 4600, 4610, 4700

John Deere

10 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	R2576N KIT		Clutch Kit Includes: 12" INSERT, 12" KRAFT BOX, 6202-2RS, 6203-2RS, AT LT130, AT 5325
	R2576N CB KIT		Clutch Kit Includes: 6202-2RS, AT LT130, N1087, R2576, R65439 HD4 Models: M, MT, 40, 40C, 320, 330, 420, 430, 435, 440
	R2576	AM2576T	Pressure Plate Assembly Plate Size - 10" Levers - 3 Springs - 3 Flywheel Step - 1.180" Stage -Single Models: M, MT, 40, 40C, 320, 330, 420, 430, 435, 440
	R2575	AM2575T	Disc Type - Rigid Woven OD - 10" Hub Size - 1-3/8" Spline - 10" Models: M, MT, 40, 40C, 320, 330, 420, 430, 435, 440
	R65439 HD4		Disc Type - Rigid Ceramic Button OD - 10" Hub Size - 1-3/8" Spline - 10 Models: M, MT, 40, 40C, 320, 330, 420, 430, 435, 440
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: M, MT, 40, 40C, 320, 330, 420, 430, 435, 440


John Deere

10 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: M, MT, 40, 40C, 320, 330, 420, 430, 435, 440
	AT 5325		Alignment Tool Large Spline - 1-3/8 x 10 Small Spline - N/A Pilot Diameter - .670 Models: M, MT, 40, 40C, 320, 330, 420, 430, 435, 440

John Deere

10 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	R16053N KIT		Clutch Kit Includes: 6202-2RS, N1171, R16053, R16930 Models: 1010, 2010
	R16053		Pressure Plate Assembly Plate Size - 10" Flywheel Step - 1.180" Stage -Single Models: 1010, 2010
	R16930		Disc Type - Rigid Woven OD - 10" Hub Size - 1-1/4" Spline - 10" Models: 1010, 2210
	R14612 HD4		Disc Type - Rigid Ceramic Button OD - 10" Hub Size - 1-1/4" Spline - 10 Models: 1010, 2010
	R14612 HD6		Disc Type - Rigid Ceramic Button OD - 10" Hub Size - 1-1/4" Spline - 10 Models: 1010, 2010
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 1020, 2010

John Deere

10 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 1010, 2010

John Deere

10 INCH - W/REVERSER TRANS

Image	Part#/Price	Reference #	Application
	R60368N KIT		Clutch Kit Includes: 12" INSERT, 12" KRAFT BOX, 6203-2RS, N1171, R33891, R60368 Models: 300, 300B, 301, 302, 302A, 310, 310A, 310B, 380, 400A, 400B, 400C, 401, 401B, 410, 480A, 480B, 480C, 604DE, 1020, 1520, 2020, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640
	R60368	AT22064	Pressure Plate Assembly Plate Size - 10 Levers - 3 Springs - 3 Flywheel Step - 1.480" Stage -Single Models: 300, 300B, 301, 302, 302A, 310, 310A, 310B, 380, 400A, 400B, 400C, 401, 401B, 410, 480A, 480B, 480C, 604DE, 1020, 1520, 2020, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640
	R33891		Disc Type - Spring Woven OD - 10" Hub Size - 1-5/16" Spline - 20 Models: 300, 300B, 301, 302, 302A, 310, 310A, 310B, 380, 400A, 400B, 400C, 401, 401B, 410, 480, 480B, 480C, 604DE, 1020, 1520, 2020, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640
	R33891-HD4		Disc Type - Spring Ceramic Button OD - 10" Hub Size - 1-5/16" Spline - 20 Models: 300, 300B, 301, 302, 302A, 310, 310A, 310B, 380, 400A, 400B, 400C, 401, 401B, 410, 480A, 480B, 480C, 604DE, 1020, 1520, 2020, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640
	R33891 HD6		Disc Type - Spring Ceramic Button OD - 10" Hub Size - 1-5/16" Spline - 20 Models: 300, 300B, 301, 302, 302A, 310, 310A, 310B, 380, 400A, 400B, 400C, 401, 401B, 410, 480A, 480B, 480C, 604DE, 1020, 1520, 2020, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640

John Deere

10 INCH - W/REVERSER TRANS

Image	Part#/Price	Reference #	Application
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 300, 300B, 301, 302, 302A, 310, 310A, 310B, 380, 400A, 400B, 400C, 401, 401B, 410, 480A, 480B, 480C, 604DE, 1020, 1520, 2020, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: 300, 300B, 301, 302, 302A, 310, 310A, 310B, 380, 400A, 400B, 400C, 401, 401B, 410, 480A, 480B, 480C, 604DE, 1020, 1520, 2020, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640

John Deere

10 INCH - STEERING CLUTCH

Image	Part#/Price	Reference #	Application
	R-14340	GRT-9026 T-14340	Steering Disc Description - Fiber OD - 10" Internal Teeth - 33 7 S/N 42001 & Above or 8 S/N 42000 & Below. Models: 2010
	R-14339	T-14339	Steering Disc Description - Steel OD - 10 7/8" Tangs - 6 7 S/N 42001 & Above or 8 S/N 42000 Below Models: 2010

John Deere

11 INCH - CLUTCH TRANSMISSION DRIVEN PTO LESS REVERSER

Image	Part#/Price	Reference #	Application
	D1163702		Pressure Plate Assembly Plate Size - 11" Levers - 3 Springs - 6 Flywheel Step - Flat Stage -Single Models: 300, 300B, 301, 302, 302A, 350, 350B, 400, 401, 401B, 401C, 401D, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010, 1520, 2020, 2030
	R66923	328 0061 10	Disc Type - Rigid Woven OD - 11" Hub - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 350, 350B, 400, 401, 401B, 401C, 401D, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010, 1520, 2020, 2030
	R66923 HD4		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 350, 350B, 400, 401, 401B, 401C, 401D, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010, 1520, 2020, 2030
	R66923 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 350, 350B, 400, 401, 401B, 401C, 401D, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010, 1520, 2020, 2030
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 300, 300B, 301, 302, 302A, 350, 350B, 400, 401, 401B, 401C, 401D, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010, 1520, 2020, 2030


John Deere

11 INCH - CLUTCH TRANSMISSION DRIVEN PTO LESS REVERSER

Image	Part#/Price	Reference #	Application
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 300, 300B, 301, 302, 302A, 350, 350B, 400, 401, 401B, 401C, 401D, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010, 1520, 2020, 2030
	AG 28		Alignment Tool Large Spline - 1 1/2" - 23T Small Spline - 1" - 15T Pilot Diameter - 0.591 Models: 300, 300B, 301, 302, 302A, 350, 350B, 400, 401, 401B, 401C, 401D, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010, 1520, 2020, 2030

John Deere

11 INCH - CLUTCH TRANSMISSION DRIVEN PTO LESS REVERSER #2

Image	Part#/Price	Reference #	Application
	D1163702		Pressure Plate Assembly Plate Size - 11" Levers - 3 Springs - 6 Flywheel Step - Flat Stage -Single Models: 350, 350B, 440, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010
	R16047		Disc Type - Rigid woven OD - 11" Hub Size - 1-1/4" Spline - 10 Models: 350, 350B, 440, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010
	R16047 HD4		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-1/4" Spline - 10 Models: 350, 350B, 440, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: 350, 350B, 440, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010
	6206-2RS		Pilot Bearing ID - 1.181" OD - 2.440" Thickness - .630" Models: 350, 350B, 440, 450, 450B, 450C, 450D, 450E, 450G, 455, 1010

John Deere

11 INCH - CLUTCH IPTO LESS REVERSER TRANS

Image	Part#/Price	Reference #	Application
	R100649		Pressure Plate Assembly Plate Size - 11' Levers - 3 Springs - 6 Hub/Spline - 1-1/2" - 23 Flywheel Step - .795" Stage -Single Models: 300, 300B, 301, 302, 302A, 401, 401B, 401D, 1020, 1520, 2020, 2030, 2040, 2440, 2630, 2640
	R66923	328 0061 10	Disc Type - Rigid Woven OD - 11" Hub - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401D, 1020, 1520, 2020, 2030, 2040, 2440, 2630, 2640
	R66923 HD4		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401D, 1020, 1520, 2020, 2030, 2040, 2440, 2630, 2640
	R66923 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401D, 1020, 1520, 2020, 2030, 2040, 2440, 2630, 2640
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 300, 300B, 301, 302, 302A, 401, 401B, 401D, 1020, 1520, 2020, 2030, 2040, 2440, 2630, 2640

John Deere

11 INCH - CLUTCH IPTO LESS REVERSER TRANS

Image	Part#/Price	Reference #	Application
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 300, 300B, 301, 302, 302A, 401, 401B, 401D, 1020, 1520, 2020, 2030, 2040, 2440, 2630, 2640
	AG 28		Alignment Tool Large Spline - 1 1/2" - 23T Small Spline - 1" - 15T Pilot Diameter - 0.591 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401D, 1020, 1520, 2020, 2030, 2040, 2440, 2630, 2640

John Deere

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	R27706	228 0023 10 R55140	Pressure Plate Assembly Plate Size - 11" Levers - 3 Springs - 9 Hub/Spline - 1-1/2" - 23 Flywheel Step - 2.200" - 2.210" Stage -Dual PPA Includes Woven PTO Disc (AL19092) Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640
	R66923	328 0061 10	Disc Type - Rigid Woven OD - 11" Hub - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640
	R66923 HD4		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640

John Deere

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	R66923 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub - 1" Spline - 15 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640
	R19092		Disc Type - Spring Woven PTO OD - 9" Hub Size - 1-1/2" Spline - 23 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430" Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640

John Deere

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	AG 28		Alignment Tool Large Spline - 1 1/2" - 23T Small Spline - 1" - 15T Pilot Diameter - 0.591 Models: 300, 300B, 301, 302, 302A, 401, 401B, 401C, 401D, 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1520, 1530, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2020, 2030, 2040, 2130, 2150, 2155, 2240, 2350, 2355, 2440, 2450, 2550, 2630, 2640

John Deere

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	R211279		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - Flat Stage -Dual Models: 5105, 5205, 5225, 5325, 5425, 5525, 5600, 5625, 5700
	R177574	R45661 RE177574	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: 5045, 5055, 5065, 5075, 5103, 5105, 5203, 5205, 5210, 5215, 5220, 5225, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5325, 5403, 5410, 5415, 5415H, 5415N, 5420, 5420N, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5525, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC
	R227648		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1" Spline - 13 Models: 5045, 5055, 5065, 5075, 5083E, 5093E, 5103, 5105, 5203, 5205, 5210, 5215, 5220, 5225, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5325, 5403, 5410, 5415, 5415H, 5415N, 5420, 5420N, 5425, 5510, 5515, 5515HC, 5520, 5520N, 5525, 5600, 5603, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC, 5725

John Deere

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	6009-2RS	832009	Pilot Bearing ID - 1.769" OD - 2.950" Thickness - 0.629" Models: 1450, 1650, 5045, 5055, 5065, 5075, 5103, 5105, 5200, 5203, 5205, 5210, 5215, 5220, 5225, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5325, 5400, 5403, 5410, 5415, 5415H, 5415N, 5420, 5420N, 5425, 5500, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5525, 5600, 5615, 5625, 5700, 5705, 5715, 5715HC
	6013-2RS	830166	Pilot Bearing ID - 2.557" OD - 3.936" Thickness - 0.704" Models: 500, 1450, 1650, 2510, 2520, 3010, 3020, 5010, 5020, 5045, 5055, 5065, 5075, 5083E, 5093E, 5103, 5105, 5200, 5203, 5205, 5210, 5215, 5220, 5225, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5325, 5400, 5403, 5410, 5415, 5415H, 5415N, 5420, 5420N, 5425, 5600, 5603, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC, 5725, 6030, 7520
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: L, LA, LI, M, MT, 40, 40C, 300B, 301, 301A, 302, 302A, 310, 310A, 310B, 320, 330, 380, 400, 400C, 400G, 401, 401B, 401C, 401D, 410, 430, 435, 440, 450, 450B, 450C, 450D, 450E, 455, 480, 480A, 480B, 480C, 500, 500A, 500C, 510, 650, 670, 710, 740, 743, 750, 760 Series A, 770, 770 Motor Grader, 790, 870, 950, 970, 990, 1020, 1050, 1070, 1250, 1450, 1650, 2010, 2020, 2030, 2150, 2155, 2240, 2255, 2350, 2355, 2355N, 2440, 2510, 2520, 2550, 2555, 2630, 2640, 5010, 5020, 5045, 5055, 5065, 5075, 5083E, 5093E, 5103, 5105, 5200, 5203, 5205, 5210, 5215, 5220, 5225, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5325, 5400, 5403, 5410, 5415, 5415H, 5415N, 5420, 5420N, 5425, 5500, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5525, 5600, 5603, 5615, 5625, 5700, 5705, 5715, 5715HC, 5725, 7020

John Deere

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	AG 21		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 13T Pilot Diameter - 0.669 Models: 5105, 5205, 5225, 5325, 5425, 5525, 5600, 5625, 5700

John Deere

11 INCH - CLUTCH COLLARSHIFT, TSS, SYNCHRONIZED REVERSE TRANS - EARLY

Image	Part#/Price	Reference #	Application
	R66695N KIT		Clutch Kit Includes: 6009-2RS, 6013-2RS, 6203-2RS, AG 21, R66695 Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715
	R66695		Pressure Plate Assembly Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-3/8" - 19 Stage -Dual Includes Engine Disc (R64042) & PTO Disc (R45662) Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715

	R64042	RE64042	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715
--	--------	---------	--

John Deere

11 INCH - CLUTCH COLLARSHIFT, TSS, SYNCHRONIZED REVERSE TRANS - EARLY

Image	Part#/Price	Reference #	Application
	R45662		Disc Type - Rigid Woven OD - 11" Hub Size - 1" Spline - 13 Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715
	6009-2RS	832009	Pilot Bearing ID - 1.769" OD - 2.950" Thickness - 0.629" Transmission Bearing Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715
	6013-2RS	830166	Pilot Bearing ID - 2.557" OD - 3.936" Thickness - 0.704" PTO Bearing Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715
	AG 21		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 13T Pilot Diameter - 0.669 Models: 5200, 5210, 5300, 5310, 5310N, 5400, 5410, 5415, 5500, 5510, 5510N, 5600, 5615, 5700, 5715

John Deere

11 INCH - CLUTCH COLLARSHIFT, TSS, SYNCHRONIZED REVERSE TRANS - LATE

Image	Part#/Price	Reference #	Application
	R211277N KIT		Clutch Kit Includes: 6009-2RS, 6013-2RS, 6203-2RS, AG 21, R211277, R227648 Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC
	R211277		Pressure Plate Assembly Plate Size - 11" Levers - 6 Springs - belleville Hub/Spline - 1-3/8" - 19 Flywheel Step - .780" Stage -Dual PPA Includes Engine Ceramic Btn Disc (R177574) S/N 332930 & Above Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC

	R177574	R45661 RE177574	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC
--	---------	--------------------	--

John Deere

11 INCH - CLUTCH COLLARSHIFT, TSS, SYNCHRONIZED REVERSE TRANS - LATE

Image	Part#/Price	Reference #	Application
	R227648		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1' Spline - 13 Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC

	6009-2RS	832009	Pilot Bearing ID - 1.769" OD - 2.950" Thickness - 0.629" Transmission Bearing Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC
	6013-2RS	830166	Pilot Bearing ID - 2.557" OD - 3.936" Thickness - 0.704" PTO Bearing Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC

John Deere

11 INCH - CLUTCH COLLARSHIFT, TSS, SYNCHRONIZED REVERSE TRANS - LATE

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC
	AG 21		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 13T Pilot Diameter - 0.669 Models: 5045, 5055, 5065, 5075, 5103, 5203, 5210, 5215, 5220, 5300, 5303, 5310, 5310N, 5315, 5320, 5320N, 5403, 5410, 5415, 5425, 5510, 5510N, 5515, 5515HC, 5520, 5520N, 5600, 5605, 5615, 5625, 5700, 5705, 5715, 5715HC

John Deere

11 INCH - STEERING CLUTCH

Image	Part#/Price	Reference #	Application
IN DEVELOPMENT	R18416 TBA		Pressure Plate Assembly Plate Size - 11" Levers - 3 Springs - 6 Stage -Single Models: 450, 450B
	R-20716	GRT-10006 T20716	Steering Disc Description - Fiber OD - 10-7/8" Internal Teeth - 38 Models: 450, 450B
	R-31732	T31732	Steering Disc Description - Steel OD - 9-5/8" Tangs - 6 Models: 450, 450B
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Greaseable Models: 450, 450B

John Deere

12 INCH - SYNCHRO RANGE

Image	Part#/Price	Reference #	Application
	R31311N-12" KIT		Clutch Kit Includes: 6013-2RS, 6203-2RS, AG 04, N1166, R31311, R42125 Models: 500, 3010, 3020
	R31311		Pressure Plate Assembly Plate Size - 12" Levers - 6 Springs - 12 Hub/Spline - 1-11/16" - 26 Flywheel Step - 2.844" Stage -Dual Models: 500, 3010, 3020
	R42125		Disc Type - Rigid OD - 12" Hub Size - 1-1/16" Spline - 16 Models: 500, 3010, 3020
	R42125 HD6		Disc Type - Rigid Ceramic Btn OD - 12" Hub Size - 1-1/16" Spline - 16 Models: 500, 3010, 3020

	R26840	RE-29610-J	Disc Type - Rigid Woven PTO OD - 10" Hub Size - 1-1/16" Spline - 26 Models: 500, 3010, 3020
--	--------	------------	--

John Deere

12 INCH - SYNCHRO RANGE

Image	Part#/Price	Reference #	Application
	R26840 HD6		Disc Type - Rigid Ceramic Btn OD - 10" Hub - 1-11/16" Spline - 26 Specify Thickness Models: 500, 3010, 3020
	N1166	2005-T 833535	Release Bearing ID - 2.000" OD - 3.687" Thickness - 0.807" Greaseable Models: 500, 3010, 3020
	6013-2RS	830166	Pilot Bearing ID - 2.557" OD - 3.936" Thickness - 0.704" Models: 500, 3010, 3020
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: 500, 3010, 3020
	AG 04		Alignment Tool Large Spline - 1 11/16" - 26T Small Spline - 1 1/16" - 16T Pilot Diameter - 0.670 Models: 500, 3010, 3020

John Deere

12 INCH - SYNCHRO RANGE #2

Image	Part#/Price	Reference #	Application
	R41411N KIT		Models: 4000, 4010, 4020
	R41411		Pressure Plate Assembly Plate Size - 12" Levers - 6 Springs - 15 Hub/Spline - 1-7/8" - 29 Flywheel Step - 2.844" Stage -Dual Models: 4000, 4010, 4020
	R42127		Disc Type - Rigid Woven OD - 12" Hub Size - 1-1/4" Spline - 19 Models: 4000, 4010, 4020
	R42127HD-5		Disc Type - Rigid Ceramic Button Disc OD - 12" Hub - 1-1/4" Spline - 19 Models: 4000, 4010, 4020
	R42127 HD6		Disc Type - Rigid Ceramic Button Disc OD - 12" Hub - 1-1/4" Spline - 19 Models: 4000, 4010, 4020
	R26688	R-29609-J	Disc Type - Rigid Woven Disc OD - 11" Hub Size - 1-7/8" Spline - 29 Specify Thickness Models: 4000, 4010, 4020

John Deere

12 INCH - SYNCHRO RANGE #2

Image	Part#/Price	Reference #	Application
	R26688 HD6		Disc Type - Rigid Ceramic Button Disc OD - 11" Hub Size - 1-7/8" Spline - 29" Models: 4000, 4010, 4020
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: 4000, 4010, 4020
	6014-2RS	500 0284 00 830114 AR27447	Pilot Bearing ID - 2.758" OD - 4.328" Thickness - 0.784" Models: 4000, 4010, 4020
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: 4000, 4010, 4020
	AG 05		Alignment Tool Large Spline - 1 7/8" - 29T Small Spline - 1 1/4" - 19T Pilot Diameter - 0.670 Models: 4000, 4010, 4020

John Deere

12 INCH - POWERSHIFT

Image	Part#/Price	Reference #	Application
	R40686	AT-14119 CD-1419	Disc Type - Spring Woven OD - 12' Hub Size - 1-1/4" Spline - 19 Models: 440, 480, 540, 540B, 548D, 570, 640, 648D, 670B, 670 IND, 672B
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: 440, 480, 540, 540B, 548D, 570, 640, 648D, 670B, 670 IND, 672B
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: 440, 480, 540, 540B, 548D, 570, 640, 648D, 670B, 670 IND, 672B

John Deere

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	R68485N KIT		Clutch Kit Includes: 15" INSERT, 15" KRAFT BOX, 6202-2RS, AG 07, AL70272, R68485 Release Bearing not included In Clutch Kit. Models: 2040S, 2140, 2450, 2550, 2650, 2750, 2755, 2850, 2855, 2940, 2955, 3040, 3050, 3140, 3150, 3350, 3640
	R68485		Pressure Plate Assembly Plate Size - 12-7/8" Levers - Diaphragm Springs - Diaphragm Hub/Spline - 1-3/4" - 27 Flywheel Step - .850" Stage -Single Models: 2040S, 2140, 2355N, 2550, 2555, 2650, 2750, 2755, 2850, 2855, 2940, 2950, 2955, 3040, 3050, 3140, 3150, 3350, 3640
	AL70272	R68022 R68022 HD6	Disc Type - Spring Ceramic Button OD - 12-7/8" Hub Size - 1-1/4" Spline - 10" Models: 2040S, 2140, 2355, 2450, 2550, 2650, 2750, 2755, 2850, 2855, 2940, 2955, 3040, 3050, 3140, 3150, 3350, 4640
	510 0021 10	AL 120028	Release Bearing RELEASE BEARING W/CARRIER New Luk Style, Hydraulic Type, Includes 2 Port Slave Cylinder w/Sound Guard Cap . Models: 2250, 2355, 2450, 2555, 2650, 2750, 2755, 2850, 2955, 3050, 3055, 3150, 3155, 3255, 3350, 4640
	510 0020 10		Release Bearing RELEASE BEARING W/CARRIER New Luk, Hydraulic Type, Includes 3 Port Slave Cylinder w/Sound Guard Cab Models: 2555, 2650, 2750, 2755, 2850, 2955, 3050, 3150, 3350, 3640

John Deere

13 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	500 0248 11	AL 39541 F207502	Release Bearing ID - 1.952" OD - 3.670" Thickness - 2.260" RELEASE BEARING W/CARRIER 2240S, 2250, 2255, 2355, 2450, 2555, 2650, 2750, 2755, 2850, 2955, 3050, 3150, 3155, 3255, 3350, 3640, 3650
	6202-2RS		Pilot Bearing ID - 0.590" OD - 1.375" Thickness - .430"
	AG 07		Alignment Tool Large Spline - 1 3/4" - 27T Small Spline - 1 1/4" - 10T Pilot Diameter - 0.590 ALIGNMENT TOOL

John Deere

13 INCH - POWERSHIFT

Image	Part#/Price	Reference #	Application
	R55655	RE29607	Disc Series B Models: 500, 500A, 500C, 510, 3020, 4000, 4020, 4230, 4430
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: 500, 500A, 500C, 510, 3020, 4000, 4020, 4230, 4430
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Series B Models: 500, 500A, 500C, 510, 3020, 4000, 4020, 4230, 4430

John Deere

13 INCH - POWERSHIFT #2

Image	Part#/Price	Reference #	Application
	R73542		Disc Type - Spring Woven OD - 13" Hub Size - 1-3/8" Spline - 21 Models: 740, 743, 760 Series A, 770 Motor Grader, 4520, 4620
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 740, 743, 760 Series A, 770 Motor Grader, 4520, 4620
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: 740, 743, 760 Series A, 770 Motor Grader, 4520, 4620

John Deere

BRAKE PADS

Image	Part#/Price	Reference #	Application
	R-111122	R-26969 R90085	6.250" L x 2.250" W 6 Rivet Holes These pads consist of a steel core bonded with grooved Kevlar paper material on the front
	R-110464	R-26765	7.125" L X 3.000" W 6 Rivet Holes These pads consist of a steel core bonded with grooved Kevlar paper material on the front
	R-90090		4.250" L X 2.250" W Woven Brake Pad 4 Rivet Holes
	R-26969		6.250" L X 2.437" W Woven Brake Pad 6 Rivet Holes
	R-26765		7.125" L X 3.000" W Woven Brake Pad 6 Rivet Holes
	R-35181		9.000" L X 3.500" W Woven Brake Pad 8 Rivet Holes

Kubota

7-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273243	37150-14500	Pressure Plate Assembly Type - Diaphragm Plate Size - 7-1/4" Levers - Diaphragm Flywheel Step - Flat Stage -Single Models: B1550, B1750, B5200, B6200, B7200, L185, L1501
	K32130	K32130-14300	Disc Type - Spring Woven OD - 7-1/4" Hub Size - 1" Spline - 10 Models: L175, L185, L200, L210, L1500, L1501
	K66905	K66905-13300	Disc Type - Spring Woven OD - 7-1/4" Hub Size - 3/4" Spline - 14 Models: B1550, B1750, B4200, B5100, B5200, B6000, B6100, B6200, B7100, B7200

Kubota

7-1/4 INCH - SINGLE STAGE 2

Image	Part#/Price	Reference #	Application
	K66591		Pressure Plate Assembly Type - Lever Plate Size - 7-1/4" Levers - 3 Springs - 6 Flywheel Step - Flat Stage -Single Models: B2400, B5100, B6000, B6100, B7100, L1500

Kubota

7-1/4 INCH - SINGLE STAGE 3

Image	Part#/Price	Reference #	Application
	K66592	32200-14500	Pressure Plate Assembly Type - Lever Plate Size - 7-1/4" Levers - 3 Springs - 6 Stage -Single 1009 LBS Models: L175, L200, L210, L1501

Kubota

8 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273254	6C040-13300 973728	Pressure Plate Assembly Type - Diaphragm Plate Size - 8" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: B20, B21, B1700, B2100, B2150, B2320, B2710, B7510, B7610, B7800, F2400
	K60401	6C040-13402	Disc Type - Spring Woven OD - 8" Hub Size - 1" Spline - 10 Models: B20, B21, B1700, B2100, B2320, B2400, B2410, B2710, B7510, B7610, B7800, B8200, F2000, F2100, F2400

Kubota

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K373145N KIT		Clutch Kit Includes: 6002-2RS, AT 5320, K373145, K382144, N018
	K373145N-R KIT		Clutch Kit Includes: 6002-2RS, AT 5320, K373145, K382143, N018 Kit Includes Rigid Woven DIsc
	K373145	37300-14500	Pressure Plate Assembly Type - Diaphragm Plate Size - 8-1/2" Levers - Diaphragm Flywheel Step - .315" Stage -Single Models: B2150, B9200, L235, L245, L275, L285, L295, L2050, L2201, L2250, L2255, L2350, L2500, L2600F, L2650, L2850
	K382144		Disc Type - Spring Woven OD - 8-1/2" Hub Size - 1" Spline - 10 Models: B2150, B9200, L225, L235, L245, L260, L275, L285, L295, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L3000
	K382143	66438-14210 K66419-13400	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1" Spline - 10 Models: B2150, B9200, L225, L235, L245, L260, L275, L285, L295, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L3000

Kubota

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K382143-CB		Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 1" Spline - 10 Models: B2150, B9200, L225, L235, L245, L260, L275, L285, L295, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L3000
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: L30, L35, L235, L245, L275, L285, L295, L355, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L2950, L3350, L3450, L3650, L4350
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

8-1/2 INCH - SINGLE STAGE 2

Image	Part#/Price	Reference #	Application
	R11720N KIT		Clutch Kit Includes: K32420, N3764, R11720
	R11720		Pressure Plate Assembly Plate Size - 8-1/2" Levers - 3 Springs - 6 Flywheel Step - .180" Stage -Single With Release Plate Models: L225, L260
	K382144		Disc Type - Spring Woven OD - 8-1/2" Hub Size - 1" Spline - 10 Models: B2150, B9200, L225, L235, L245, L260, L275, L285, L295, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L3000
	K382143	66438-14210 K66419-13400	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1" Spline - 10 Models: B2150, B9200, L225, L235, L245, L260, L275, L285, L295, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L3000
	K382143-CB		Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 1" Spline - 10 Models: B2150, B9200, L225, L235, L245, L260, L275, L285, L295, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L3000

Kubota

8-1/2 INCH - SINGLE STAGE 2

Image	Part#/Price	Reference #	Application
	N1054		Release Bearing OD - 2.7344 Models: B4200, B5100, B6000, B6100, B7100, L175, L200, L210, L225, L260, L1500, L1501
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

8-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320340N KIT-KUBOTA		Clutch Kit Includes: 6002-2RS, FD320340, K32420, N039 Kit Includes Spring Woven Disc
	FD320340RN KIT-KUBOTA		Clutch Kit Includes: 6002-2RS, FD320340, K32420-R, N039 Kit Includes Rigid Woven Disc
	FD320340	K35260-14200	Pressure Plate Assembly Type - Lever Plate Size - 8-1/2" Levers - 3 Springs - Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - .079 Stage -Dual Models: B2150, B9200, L235, L275, L2201, L2250, L2255, L2550, L2650, L3000
	FD320260	K36260-14450 TD060-20500	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1-3/8" Spline - 19 Models: B2150, B9200, L235, L275, L2201, L2250, L2255, L2550, L2650, L2800, L2850, L2950, L3000, L3250, L3400, L3450, L3650
	K32420	R18375	Disc Type - Spring Woven OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: B2150, B9200, L235, L275, L2201, L2250, L2255, L2550, L2650

Kubota

8-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	K32420-R	CD2425 R18374	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: B2150, B9200, L235, L275, L2201, L2250, L2255, L2550, L2650
	K32420 HD4	CD2425 HD4 R18374 HD4	Disc Type - Rigid Ceramic Btn OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: B2150, B9200, L235, L275, L2201, L2250, L2255, L2550, L2650
	K32420-HD-6	K32420-1440-CB R18375 HD6	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: B2150, B9200, L235, L275, L2201, L2250, L2255, L2550, L2650
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: B2150, B9200, L235, L275, L2201, L2250, L2255, L2550, L2650, L2800, L2850, L2950, L3000, L3250, L3350, L3400, L3450, L3650, L4350, L4400

Kubota

9 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K32430N KIT		Clutch Kit Includes: 6002-2RS, K32430, K32431, N018
	K32430	K32430-14500	Pressure Plate Assembly Type - Diaphragm Plate Size - 9" Levers - Diaphragm Stage -Single Models: L30, L35, L2850, L2950, L3450, L3650
	K32431	K32425-14300	Disc Type - Rigid Organic OD - 9" Hub Size - 1" Spline - 10 Models: L30, L35, L2800, L2850, L2950, L3400, L3450, L3650, L4400
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: L30, L35, L235, L245, L275, L285, L295, L355, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L2950, L3350, L3450, L3650, L4350
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

9 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	K35080N KIT		Clutch Kit Includes: 6002-2RS, FD320051, K35080, RCT55B
	K35080	FD320980 K35080 K35080-14290	Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - 2 Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - .079" Stage -Dual Models: L2800, L2850, L2950, L3250, L3400, L3450, L3650, L4400
	FD320260	K36260-14450 TD060-20500	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 1-3/8" Spline - 19 Models: L2800, L2850, L2950, L3250, L3400, L3450, L3650, L4400
	FD320051	R13090	Disc Type - Rigid Woven OD - 9" Hub - 15/16" Spline - 13 Models: L305, L345, L2850, L2950, L3250, L3450, L3650
	FD320051 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub - 15/16" Spline - 13 Models: L305, L345, L2850, L2950, L3250, L3450, L3650

Kubota

9 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: L39, L45, L48, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3540, L3560, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4300, L4310, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200, M9000, MX4700, MX4800, MX5100, MX5200
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

9 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	K35350		Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - .028 Stage -Dual Includes Woven PTO Disc Models: L305, L345
	FD320051	R13090	Disc Type - Rigid Woven OD - 9" Hub - 15/16" Spline - 13 Models: L305, L345, L2850, L2950, L3250, L3450, L3650
	FD320051 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub - 15/16" Spline - 13 Models: L305, L345, L2850, L2950, L3250, L3450, L3650
	FD320061		Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/8" Spline - 19 Models: L305, L345
	FD320061 HD4		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 1-3/8" Spline - 19 Models: L305, L345

Kubota

9 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	N052	MB237	Release Bearing Models: L305, L345, M6950, M6970, M7580, M7950, M7970, M8540, M8580, M8950, M8970, M9540
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

9-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K20206N KIT		Clutch Kit Includes: 6002-2RS, FD320160, K20206, RCT55B
	K20206	K31301-14600 KTA020-20600	Pressure Plate Assembly Type - Diaphragm Plate Size - 9-1/2" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: L45, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3540, L3560, L3830, L3940, L4240, L4300, L4400, L4600, L4630, L4701, L4740, M5030, MX4700, MX5200
	FD320160	F400441 R127829	Disc Type - Rigid Woven OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: L45, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3450, L3560, L3830, L3940, L4240, L4300, L4400, L4600, L4630, L4701, L4740, L5030, L5240, L5740, MX4700, MX5200
	FD320160 HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 1-3/8" Spline - 19 Models: L45, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3540, L3560, L3830, L3940, L4240, L4300, L4400, L4600, L4630, L4701, L4740, L5030, L5240, L5740, MX4700, MX5200

Kubota

9-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: L39, L45, L48, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3540, L3560, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4300, L4310, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200, M9000, MX4700, MX4800, MX5000, MX5100, MX5200
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

9 1/2 INCH - SINGLE STAGE # 2

Image	Part#/Price	Reference #	Application
	K31146		Pressure Plate Assembly Type - Diaphragm Plate Size - 9-1/2" Levers - Diaphragm Flywheel Step - Flat Stage -Single Models: L3350, L4350
	K31147		Disc Type - Spring Organic OD - 9-1/2" Hub Size - 15/16" Spline - 10 Models: L3350, L4350
	K31147-R		Disc Type - Rigid Organic OD - 9-1/2" Hub Size - 15/16" Spline - 10 Models: L3350, L4350
	K31147-HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 15/16" Spline - 10 Models: L3350, L4350
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: L30, L35, L235, L245, L275, L285, L295, L355, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2850, L2950, L3350, L3450, L3650, L4350

Kubota

9 1/2 INCH - SINGLE STAGE # 2

Image	Part#/Price	Reference #	Application
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, M4700, M4800, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

10-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K40206N KIT		Clutch Kit Includes: 6002-2RS, AG 55, K40206, K40207, RCT55B
	K40206		Pressure Plate Assembly Type - Diaphragm Plate Size - 10-1/4" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: L39, L48, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4310, L4610, L4630, L4740, L5030, L5040, MX4700, MX5200
	K40207		Disc Type - Rigid Organic OD - 10-1/4" Hub Size - 1-3/8" Spline - 19 Models: L39, L48, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4310, L4610, L4630, L4740, L5030, L5040, MX4700, MX5200
	K40207 HD6		Disc Type - Rigid Ceramic Button OD - 10-1/4" Hub Size - 1-3/8" Spline - 19 Models: L39, L48, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4310, L4610, L4630, L4740, L5030, L5040, MX4700, MX5200
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: L39, L45, L48, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3540, L3560, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4300, L4310, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200, M9000, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

10-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: L30, L35, L39, L45, L48, L175, L185, L200, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L1500, L1501, L2050, L2201, L2250, L2255, L2350, L2500, L2550, L2600F, L2650, L2800, L2850, L2900, L2950, L3000, L3010, L3130, L3240, L3250, L3300, L3350, L3400, L3410, L3430, L3450, L3540, L3560, L3600, L3650, L3710, L3830, L3940, L4150, L4150 DTN, L4200, L4202, L4240, L4300, L4310, L4350, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

11 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K32530N KIT		Clutch Kit Includes: 6002-2RS, K32530, K32531
	K32530	3A481-25110 SC32232	Pressure Plate Assembly Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single 12-5/8" Hole Center To Center Models: L3750, L4150, L4850
	K32531	32530-14304	Disc Type - Spring Woven OD - 11" Hub Size - 15/16" Spline - 10 Models: L3750, L4150, L4850
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: L3750, L4850, L5450, M4000, M4030, M4050, M4500, M4950, M5030, M5850

Kubota

11 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	K112511N-HD5 KIT		Clutch Kit Includes: 6007-2RS, AG 20, K112511, K112512 HD5, RCT55B
	K112511	K3G011-24110	Pressure Plate Assembly Type - Diaphragm Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - .025 Stage -Single 12-1/4" Hole Center To Center Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200
	K112512	3G700-25130	Disc Type - Spring Woven OD - 11" Hub Size - 1-9/16" Spline - 14 Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200
	K112512 HD	K3G700-25130W	Disc Type - Spring Woven/Ceramic Button Disc OD - 11" Hub Size - 1-9/16" Spline - 14 Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200
	K112512 HD5	3A261-25132	Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200

Kubota

11 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: L39, L45, L48, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3540, L3560, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4300, L4310, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200, M9000, MX4700, MX4800, MX5000, MX5100, MX5200
	6007-2RS		Pilot Bearing ID - 1.371" OD - 2.441" Thickness - .550" Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M6950, M6970, M7040, M7580, M7950, M7970, M8200, M8540, M8580, M8950, M8970, M9000, M9540, M9580
	AG 20		Alignment Tool Small Spline - 1 9/16" - 14T Pilot Diameter - 1.378 Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200

Kubota

11-1/4 INCH - DUAL STAGE W/COIL SPRINGS

Image	Part#/Price	Reference #	Application
	K35555	K35788	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Flywheel Step - .079" Stage -Dual Includes K35789 Ceramic Button Disc Interchangeable with K35555 Models: L5450, M4000, M4030, M4050, M4500, M4950, M5030, M5500, M5850, M5950, M6030, M7030, M7500, M8030
	K35787	32521 35502-25132	Disc Type - Spring Woven OD - 11" Hub Size - 1-9/16" Spline - 14 Models: L5450, M4000, M4030, M4050, M4500, M4950, M5030, M5500, M5850, M5950, M6030, M7030, M7500, M8030
	K32590		Disc Type - Rigid Woven OD - 11" Hub Size - 15/16" Spline - 10 Models: L5450, M4000, M4030, M4050, M4500, M4950, M5030, M5500, M5850, M5950, M6030, M7030, M7500, M8030
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" RELEASE BEARING W/COLLAR Luk Style
	6013-2RS	830166	Pilot Bearing ID - 2.557" OD - 3.936" Thickness - 0.704"

Kubota

11-1/4 INCH - DUAL STAGE W/COIL SPRINGS

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: L3750, L4850, L5450, M4000, M4030, M4050, M4500, M4950, M5030, M5850

Kubota

11-3/4 INCH

Image	Part#/Price	Reference #	Application
	K151251	K3A151-25111	Pressure Plate Assembly Type - Diaphragm Plate Size - 11-3/4" Levers - Diaphragm Flywheel Step - .995 Stage -Single Models: M8200, M9000
	K152251	K3A152-25130	Disc Type - Spring Ceramic Button OD - 11-3/4" Hub Size - 1-9/16" Spline - 14 Models: M8200
	K152251-UL		Disc Type - Spring Unlined Button OD - 11-3/4" Hub Size - 1-9/16" Spline - 14 Models: M8200, M9000
	K152251W3	3A161-25131	Disc Type - Spring Woven/Ceramic Button OD - 11-3/4" Hub Size - 1-9/16" Spline - 14 Models: M8200, M9000
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: L39, L45, L48, L2900, L3010, L3130, L3240, L3300, L3410, L3430, L3540, L3560, L3600, L3710, L3830, L3940, L4200, L4202, L4240, L4300, L4310, L4400, L4600, L4610, L4630, L4701, L4740, L5030, L5040, L5240, L5740, M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M7040, M8200, M9000, MX4700, MX4800, MX5000, MX5100, MX5200

Kubota

11-3/4 INCH

Image	Part#/Price	Reference #	Application
	6007-2RS		Pilot Bearing ID - 1.371" OD - 2.441" Thickness - .550" Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M6950, M6970, M7040, M7580, M7950, M7970, M8200, M8540, M8580, M8950, M8970, M9000, M9540, M9580

Kubota

13 INCH

Image	Part#/Price	Reference #	Application
	K36530	3F740-25110 E5230210-34100 K36530-25112	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 4 Springs - 12 Stage -Single Includes Bearing Release Plate Models: M6950, M6970, M7580, M7950, M7970, M8540, M8580, M8950, M8970, M9540

	K36430		Disc Type - Spring Woven OD - 13" Hub Size - 1-9/16" Spline - 14 Models: M6950, M6970, M7580, M7950, M7970, M8580, M8950, M8970
	K36430W3		Disc Type - Spring Woven/Ceramic Button OD - 13" Hub Size - 1-9/16" Spline - 14 Models: M6950, M6970, M7580, M7950, M7970, M8580, M8950, M8970
	K36430 HD5	3C08125132	Disc Type - Spring Ceramic Button OD - 13" Hub Size - 1-9/16" Spline - 14 Models: M6950, M6970, M7580, M7950, M7970, M8580, M8950, M8970

Kubota

13 INCH

Image	Part#/Price	Reference #	Application
	6007-2RS		Pilot Bearing ID - 1.371" OD - 2.441" Thickness - .550" Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M6950, M6970, M7040, M7580, M7950, M7970, M8200, M8540, M8580, M8950, M8970, M9000, M9540, M9580

Kubota

14 INCH

Image	Part#/Price	Reference #	Application
	K36710	3F860-25110	Pressure Plate Assembly Type - Lever Plate Size - 14" Levers - 4 Springs - 24 Flywheel Step - 1.695" Stage -Single Models: M9580
	K33980W3	3F860-25122	Disc Type - Spring Organic/Ceramic Button OD - 14" Hub Size - 1-9/16" Spline - 14 Models: M9580
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: M9580
	6007-2RS		Pilot Bearing ID - 1.371" OD - 2.441" Thickness - .550" Models: M4700, M4800, M4900, M5400, M5640, M5700, M6040, M6800, M6950, M6970, M7040, M7580, M7950, M7970, M8200, M8540, M8580, M8970, M9000, M9540, M9580

Mahindra

11 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K112511	K3G011-24110	Pressure Plate Assembly Type - Diaphragm Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - .025 Stage -Single 12-1/4" Hole Center To Center Models: 6110, 7010
	K32530	3A481-25110 SC32232	Pressure Plate Assembly Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single 12-5/8" Hole Center To Center Models: 6110, 7010
	M01250067		Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: 6110, 7010
	M01250067 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: 6110, 7010

Massey - Ferguson

6-1/2 INCH

Image	Part#/Price	Reference #	Application
	351760	1500362M92 CA5256 D800023	Pressure Plate Assembly Type - Lever Plate Size - 6-1/2" Levers - 3 Springs - 6 Stage -Single Models: Pony, 16 Pacer
	351773	1500374M92	Disc Type - Rigid Woven OD - 6-1/2" Hub Size - 15/16" Spline - 10 Models: Pony, 16 Pacer
	N1136-A	1752 831752 A0899-2	Release Bearing ID - 1.752 OD - 3.060" Thickness - .745" Models: 300, 310, 320, 440
	6005-2RS	836005	Pilot Bearing ID - 0.984" OD - 1.850" Thickness - 0.472" Models: Pony
	6205-2RS		Pilot Bearing ID - .984" OD - 2.047" Thickness - .590" Models: Pony, 16 Pacer, 44, 44-6, 55, 333, 444, 555, 5425, 5435, 5445, 5455, 5460, 5465

Massey - Ferguson

8 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273254	6C040-13300 973728	Pressure Plate Assembly Type - Diaphragm Plate Size - 8" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: 205, 1020
	M3281107		Disc Type - Spring Organic OD - 8" Hub Size - 15/16" Spline - 13 Models: 205, 1020
	M3281106		Disc Type - Rigid Organic OD - 8" Hub Size - 15/16" Spline - 13 Models: 205, 1020
	N3804	834081 N4081	Release Bearing ID - 1.574" OD - 2.500" Thickness - .610" Models: 205, 1010, 1020, 1210, 1230
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: F40, Super 90, TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40B, 40E, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 2135, 2200, 2220, 2500, 2605, 2606H, 2615, 2625, 2660, 2670, 2680, 3165, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500

Massey - Ferguson

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	D2098568		Pressure Plate Assembly Plate Size - 8-1/2" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: 210, 220, 1030, 1230
	K32420	R18375	Disc Type - Spring Woven OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 210, 220, 1030, 1230
	K32420-R	CD2425 R18374	Disc Type - Rigid Woven OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 210, 220, 1030, 1230
	K32420 HD4	CD2425 HD4 R18374 HD4	Disc Type - Rigid Ceramic Btn OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 210, 220, 1030, 1230
	K32420-HD-6	K32420-1440-CB R18375 HD6	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 13 Models: 210, 220, 1030, 1230
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: 210, 220, 1030, 1233, 1235

Massey - Ferguson

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" 2WD S/N 04933 & Above 4WD S/N 02289 & Above Models: 210, 220, 1010, 1020, 1030, 1030L, 1035, 1040, 1045, 1120, 1205, 1210, 1215, 1220, 1225, 1230, 1233, 1235, 1240, 1250, 1260E, 1417, 1428V, 1429, 1433, 1439, 1440, 1523, 1528, 1529, 1531, 1532, 1533, 1540, 1547, 1552, 1553, 1635, 1643, 1648, 1652, 1655
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" 2WD S/N 04933 & Below 4WD S/N 02289 & Below Models: F40, Super 90, TE20 , TEA20, TO20, TO30, 20 IND, 30 IND, 40B, 40E, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 2135, 2200, 2220, 2500, 2605, 2606H, 2615, 2625, 2660, 2670, 2680, 3165, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500

Massey - Ferguson

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	M185923N-1-1/8" KIT		Clutch Kit Includes: 6203-2RS, AG 08, M180250, M185923, N1087 Note Disc Size In This Kit.
	M185923N KIT		Clutch Kit Includes: 6203-2RS, AT 5325, FNA50A, M185923, N1087 Note Disc Size In This Kit
	M185923		Pressure Plate Assembly Plate Size - 9" Levers - 3 Springs - 6 Flywheel Step - Flat Stage -Single Models: TE20 , TEA20, TO20, TO30, TO35, 50, 135, 202, 203, 2135
	M180250		Disc Type - Rigid Woven OD - 9" Hub - 1-1/8" Spline - 10 Models: TE20 , TEA20, TO20, TO30, TO35, 50, 135, 202, 203, 2135
	M180250 HD4		Disc Type - Rigid Ceramic OD - 9" Hub Size - 1-1/8" Spline - 10 Models: TE20 , TEA20, TO20, TO30, TO35, 50, 135, 202, 203, 2135
	M183357 HD4		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 1-1/8" Spline - 10 Models: TE20 , TEA20, TO20, TO30, TO35, 50, 135, 202, 203, 2135

Massey - Ferguson

9 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	FNA50A	280604	Disc Type - Spring Woven OD - 9" Hub Size - 1-3/8" Spline - 10T Models: TE20 , TEA20, TO20, TO30, TO35
	N1087	2065 832065 A2256-1	Release Bearing ID - 2.062" OD - 3.500" Thickness - .750" Models: TE20 , TEA20, TO20, TO30, 44, 44-6, 55, 203, 300, 310, 410, 444, 500, 510, 540, 550, 555, 2135, 3165
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: F40, Super 90, TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40B, 40E, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 2135, 2200, 2220, 2500, 2605, 2606H, 2615, 2625, 2660, 2670, 2680, 3165, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500
	AG 08		Alignment Tool Large Spline - 1 3/4" - 10T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.670 Models: TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 65, 135, 135 UK, 150, 165, 175, 180, 202, 203, 231S, 240, 302, 304, 2135, 2200, 3165

Massey - Ferguson

9 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	Y194335		Pressure Plate Assembly Plate Size - 9" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: 1233, 1235
	M3703735		Disc Type - Rigid Woven OD - 9" Hub Size - 15/16" Spline - 13 Models: 1125, 1140, 1145, 1233, 1235, 1240, 1250, 1260
	M3703735-HD-4		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 15/16" Spline - 13 Models: 1125, 1140, 1145, 1233, 1235, 1240, 1250, 1260
	M3703735 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 15/16" Spline - 13 Models: 1125, 1140, 1145, 1233, 1235, 1240, 1250, 1260
	M3703736		Disc Type - Spring Woven OD - 9" Hub Size - 15/16" Spline - 13 Models: 1125, 1140, 1145, 1233, 1235, 1240, 1250, 1260
	M3703736-CB		Disc Type - Spring Ceramic Facing OD - 9" Hub Size - 15/16" Spline - 13 Models: 1125, 1140, 1145, 1233, 1235, 1240, 1250, 1260

Massey - Ferguson

9 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: 210, 220, 1030, 1233, 1235
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: 210, 220, 1010, 1020, 1030, 1030L, 1035, 1040, 1045, 1120, 1205, 1210, 1215, 1220, 1225, 1230, 1233, 1235, 1240, 1250, 1260E, 1417, 1428V, 1429, 1433, 1439, 1440, 1523, 1528, 1529, 1531, 1532, 1533, 1540, 1547, 1552, 1553, 1635, 1643, 1652, 1655

Massey - Ferguson

11 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	K32530	3A481-25110 SC32232	Pressure Plate Assembly Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: 1547, 1552, 1553, 1648, 1652, 1655
	M01250067		Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: 1547, 1552, 1553, 1648, 1652, 1655
	M01250067 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: 1547, 1552, 1553, 1648, 1652, 1655
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: 1529, 1532, 1533, 1540, 1547, 1552, 1553, 1635, 1643, 1648, 1652, 1655, 3315, 3330, 3340, 3350, 3355
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: 210, 220, 1010, 1020, 1030, 1030L, 1035, 1040, 1045, 1120, 1205, 1210, 1215, 1220, 1225, 1230, 1233, 1235, 1240, 1250, 1260E, 1417, 1428V, 1429, 1433, 1439, 1440, 1523, 1528, 1529, 1531, 1532, 1533, 1540, 1547, 1552, 1553, 1635, 1643, 1648, 1652, 1655

Massey - Ferguson

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	M526665N KIT	1212-1417	Clutch Kit Includes: 6203-2RS, AG 08, M516068, M526665, N1174
	M526664N KIT	1212-1426	Clutch Kit Includes: 6203-2RS, AG 08, M516068, M526663, N1174
	M526666N KIT	1212-1400Y	Clutch Kit Includes: 6203-2RS, AG 08, M516068, M526666, N1174
	M526666		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 12 Hub/Spline - 1-3/4" x 10 Flywheel Step - 1.720" w/air ring - 1.750" w/o air ring Stage -Dual Models: 30 IND, 165, 175, 180, 202, 203, 302, 304, 3165
	M526665		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 9 Hub/Spline - 1-3/4" x 10 Flywheel Step - 1.720" w/air ring - 1.750" w/o air ring Stage -Dual Models: TO30, TO35, 20 IND, 40IND, 50, 65, 135, 135 UK, 150, 202, 203, 302, 304, 2135, 2200

Massey - Ferguson

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	M526663		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 6 Hub/Spline - 1-3/4" x 10 Flywheel Step - 1.750" Stage -Dual Includes M3620411 Models: 20 IND, 40IND, 50, 135, 135 UK, 150, 202, 203, 2135, 2200

Massey - Ferguson

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	M516068		Disc Type - Rigid Woven OD - 11" Hub Size - 1-1/8" Spline - 10 Models: TO30, TO35, 20 IND, 30 IND, 40B, 40IND, 50, 65, 135, 135 UK, 150, 165, 175, 180, 202, 203, 230, 235, 245, 255, 265, 285, 302, 304, 2135, 2200, 3165
	M516068 HD6	100354-CB	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-1/8" Spline - 10 Models: TO30, TO35, 20 IND, 30 IND, 40B, 40IND, 50, 65, 135, 135 UK, 150, 165, 175, 180, 202, 203, 230, 235, 245, 255, 265, 285, 302, 304, 2135, 2200, 3165
	M3620411	392492	Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/4" Spline - 10 Models: F40, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 65, 105, 135, 135 UK, 150, 165, 175, 180, 202, 203, 204, 302, 304, 2135, 2200, 3165
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: F40, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 760, 860, 865, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 1500, 1505, 1800, 1805, 2135, 2200, 2605, 2606H, 2615, 2625, 2660, 2670, 2680, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260,

		4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 5335, 5340, 5355, 5360, 5365
--	--	---

Massey - Ferguson

11 INCH - DUAL STAGE #1

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: F40, Super 90, TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500
	AG 08		Alignment Tool Large Spline - 1 3/4" - 10T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.670 Models: TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 65, 135, 135 UK, 150, 165, 175, 180, 202, 203, 231S, 240, 302, 304, 2135, 2200, 3165

Massey - Ferguson

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	M532320N KIT		Clutch Kit Includes: 6203-2RS, AG 10, M516068, M532320, N1174
	M532319N KIT		Clutch Kit Includes: 6203-2RS, AG 10, M516068, M532319, N1174
	M532320		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" X 25 Flywheel Step - 1.720" w/air ring - 1.750" w/o air ring Stage -Dual Models: 20 IND, 30 IND, 40B, 165, 175, 235, 245, 255, 265, 285
	M532319	M3599454	Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 9 Hub/Spline - 1-5/8" x 25 Flywheel Step - 1.720" w/air ring - 1.750" w/o air ring Stage -Dual Models: 20 IND, 135, 150, 230
	M532319-4		Pressure Plate Assembly Type - Lever Plate Size - 11" Levers - 3 Springs - 6 Hub/Spline - 1-5/8" x 25 Flywheel Step - 1.720" w/air ring - 1.750" w/o air ring Stage -Dual Models: 20 IND, 135, 150, 230

Massey - Ferguson

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
-------	-------------	-------------	-------------

	M516068		Disc Type - Rigid Woven OD - 11" Hub Size - 1-1/8" Spline - 10 Models: TO30, TO35, 20 IND, 30 IND, 40B, 40IND, 50, 65, 135, 135 UK, 150, 165, 175, 180, 202, 203, 230, 235, 245, 255, 265, 285, 2135, 2200, 3165
--	----------------	--	---

Massey - Ferguson

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	M516068 HD6	100354-CB	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-1/8" Spline - 10 Models: TO30, TO35, 20 IND, 30 IND, 40B, 40IND, 50, 65, 135, 135 UK, 150, 165, 175, 180, 202, 203, 230, 235, 245, 255, 265, 285, 302, 304, 2135, 2200, 3165
	M1043282		Disc Type - Rigid Organic OD - 9" Hub Size - 1-5/8" Spline - 25 Models: 20 IND, 30 IND, 40B, 135, 150, 165, 175, 230, 235, 245, 255, 265, 285, 302, 304, 2135, 2200, 3165
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: F40, Super 90, TE20, TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Aetna: 2505T Models: F40, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 760, 860, 865, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 1500, 1505, 1800, 1805, 2135, 2200,

		2605, 2606H, 2615, 2625, 2660, 2670, 2680, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 5335, 5340, 5355, 5360, 5365
--	--	--

Massey - Ferguson

11 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	AG 10		Alignment Tool Large Spline - 1 5/8" - 25T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.670 Models: 20 IND, 30 IND, 40B, 40E, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 135, 135 UK, 150, 158, 165, 175, 230, 231, 235, 240, 243, 245, 250, 253, 255, 261, 263, 265, 265S, 270, 271, 275, 281, 282, 283, 285, 285S, 290, 355, 670, 690, 2605, 2615, 2625

Massey - Ferguson

12 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	M516406		Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 12 Hub/Spline - 1-3/4" x 10 Flywheel Step - 1.406" Stage -Single Models: 1080, 1085
	M519127		Disc Type - Rigid Woven Disc OD - 12" Hub - 1-1/8" Spline - 10 Models: 285, 320, 1080, 1085
	M1670234 HD6		Disc Type - Rigid Ceramic Button Disc OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 285, 320, 1080, 1085
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: F40, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 760, 860, 865, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 1500, 1505, 1800, 1805, 2135, 2200, 2605, 2606H, 2615, 2625, 2660, 2670, 2680, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 5335, 5340, 5355, 5360, 5365

Massey - Ferguson

12 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748"
			Models: F40, Super 90, TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500

Massey - Ferguson

12 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	M1808749		Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 25 Flywheel Step - 1.406" Stage -Single Models: 285, 320, 1085
	M519127		Disc Type - Rigid Woven Disc OD - 12" Hub - 1-1/8" Spline - 10 Models: 285, 320, 1080, 1085
	M1670234 HD6		Disc Type - Rigid Ceramic Button Disc OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 285, 320, 1080, 1085
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: 285, 320, 1080, 1085, F40, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285S, 290, 298, 302, 304, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 760, 860, 865, 1100, 1105, 1130, 1135, 1150, 1155, 1500, 1505, 1800, 1805, 2135, 2200, 2605, 2606H, 2615, 2625, 2660, 2670, 2680, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 5335, 5340, 5355, 5360, 5365

Massey - Ferguson

12 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748"
			Models: F40, Super 90, TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500

Massey - Ferguson

12 INCH - SINGLE STAGE #3

Image	Part#/Price	Reference #	Application
	M1040032		Pressure Plate Assembly Plate Size - 12" Levers - 3 Springs - 12 Flywheel Step - 1.406" Stage -Single Without Hub Models: 760, 860, 865

Massey - Ferguson

12 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	M1867433N KIT		Clutch Kit Includes: 6203-2RS, AG 10, M1867433, M887889, N1174
	M1867433-CB-N KIT		Clutch Kit Includes: 6203-2RS, AG 10, M1867433, M887889 HD6, N1174
	M1867433N-21 KIT		Clutch Kit Includes: 6203-2RS, AG 09, M1867433, M693884, N1174
	M867428N KIT		Clutch Kit Includes: 6203-2RS, AG 10, M867428, M887889, N1174
	M1867433	CA-265-12 M868005	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 25 Flywheel Step - 1.560" - 1.565" Stage -Single Models: 40E, 50 IND, 135 UK, 270, 275, 290, 365, 390, 461, 690, 2605, 2606H, 2615, 2625, 4215, 4220, 4225, 4233, 4235, 4240, 4325, 4335

Massey - Ferguson

12 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	M3596265	CA-265-9	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 9 Hub/Spline - 1-5/8" x 25 Flywheel Step - 1.560" - 1.565" Stage -Single Models: 20 IND, 30 IND, 243, 253, 263, 350, 355, 360, 362, 375, 383, 398, 543, 670
	M867428	CA-265-6 M3596266	Pressure Plate Assembly Type - Lever Plate Size - 12" Levers - 3 Springs - 6 Hub/Spline - 1-5/8" x 25 Flywheel Step - 1.560" - 1.565" Stage -Single Models: 20 IND, 30 IND, 350

Massey - Ferguson

12 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	M887889	CD-0837	Disc Type - Rigid Organic OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 20 IND, 30 IND, 40E, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 135 UK, 158, 178, 231, 231S, 240, 243, 250, 253, 261, 263, 265S, 270, 271, 275, 281, 282, 283, 285S, 290, 355, 670, 690, 2605, 2615, 2625
	M887889 HD6	M3701010 HD6	Disc Type - Rigid Ceramic Button OD - 12" Hub Size - 1-1/8" Spline - 10 Models: 20 IND, 30 IND, 40E, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 135 UK, 158, 178, 231, 231S, 240, 243, 250, 253, 261, 263, 265S, 270, 271, 275, 281, 282, 283, 285S, 290, 355, 670, 690, 2605, 2615, 2625

	M693884	CD-0837-SP	Disc Type - Rigid Organic OD - 12" Hub Size - 1-1/8" Spline - 21 Models: 231, 240, 243, 251XE, 253, 261, 263, 265S, 271, 271X, 271XE, 281, 281X, 283, 285S, 350, 355, 360, 362, 365, 375, 383, 390, 398, 431, 451, 461, 471, 481, 533, 543, 573, 583, 2606H, 2615, 2625, 2660, 4215, 4220, 4225, 4233, 4235, 4240, 4325, 4335
--	----------------	-------------------	--

Massey - Ferguson

12 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	M1865836	CD-0912	Disc Type - Rigid Organic OD - 10" Hub Size - 1-5/8" Spline - 25 Models: 20 IND, 40E, 135 UK, 231, 240, 243, 250, 251XE, 253, 261, 263, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285S, 290, 350, 355, 360, 362, 375, 383, 390, 398, 431, 451, 471, 481, 533, 543, 573, 583, 2605, 2615, 2625, 2660
	M3701008 HD5	M693884 HD5	Disc Type - Rigid Ceramic Button OD - 12" Hub Size - 1-1/8" Spline - 21 Models: 231, 240, 243, 251XE, 253, 261, 263, 265S, 271, 271X, 271XE, 281, 281X, 283, 285S, 350, 355, 360, 362, 365, 375, 383, 390, 398, 431, 451, 461, 471, 481, 533, 543, 573, 583, 2606H, 2615, 2625, 2660, 4215, 4220, 4225, 4233, 4235, 4240, 4325, 4335

Massey - Ferguson

12 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: F40, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 760, 860, 865, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 1500, 1505, 1800, 1805, 2135, 2200, 2605, 2606H, 2615, 2625, 2660, 2670, 2680, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 5335, 5340, 5355, 5360, 5365
	8301245		Release Bearing ID - 2.499" OD - 3.940" Thickness - .905" For Applications with constant running bearing. Models: 251XE, 270, 271, 271XE, 281, 281X, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 471, 481, 492, 573, 583, 593, 596, 2605, 2660, 2670, 2680, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 5335, 5340, 5355, 5360, 5365

Massey - Ferguson

12 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748" Models: F40, Super 90, TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500
	AG 10		Alignment Tool Large Spline - 1 5/8" - 25T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.670 Models: 20 IND, 30 IND, 40B, 40E, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 135, 135 UK, 150, 158, 165, 175, 230, 231, 235, 240, 243, 245, 250, 253, 255, 261, 263, 265, 265S, 270, 271, 275, 281, 282, 283, 285, 285S, 290, 355, 670, 690, 2605, 2615, 2625
	AG 09		Alignment Tool Large Spline - 1 5/8" - 25T Small Spline - 1 1/8" - 21T Pilot Diameter - 0.670 Models: 231, 240, 243, 251XE, 253, 261, 263, 265S, 271, 271X, 271XE, 281, 281X, 283, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 2606H, 2615, 2670, 2680, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4655, 5335, 5340, 5355, 5360, 5365

Massey - Ferguson

12-1/4 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	M3540478	231 0046 11	Pressure Plate Assembly Type - Lever Plate Size - 12-1/4" Levers - 6 Springs - Belleville Hub/Spline - 1-9/16" x 14 Stage -Dual Includes 8 Regular Pad Engine Disc Models: 394
	M3105232	331 0133 11	Disc Type - Spring Ceramic Button OD - 12-1/4" Hub Size - 1-9/16" Spline - 14 Models: 394

Massey - Ferguson

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	M3701015	CA-399RB	Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 3 Springs - Belleville Hub/Spline - 1-5/8" x 25 Flywheel Step - .130" Stage -Single Models: 375, 390, 390T, 393, 396, 398, 399, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4345, 4355, 4360, 4370, 4655
	M039210T1		Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 25 Flywheel Step - 0.160" Stage -Single Models: 491, 492, 593, 596, 2670, 2680, 5335, 5340, 5355, 5360, 5365

	M3701011 HD5	333 0138 10 M3701011	Disc Type - Spring Ceramic Button OD - 13" Hub Size - 1-1/8" Spline - 21 Models: 375, 390, 390T, 393, 396, 398, 399, 491, 492, 593, 596, 2670, 2680, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4345, 4355, 4360, 4370, 4655, 5335, 5360, 5365
--	---------------------	---------------------------------------	--

Massey - Ferguson

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	N1174	2505-T 832505 A2287-31	Release Bearing ID - 2.500" OD - 4.154" Thickness - .865" Models: 375, 390, 390T, 393, 396, 398, 399, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4345, 4355, 4360, 4370, 4655
	8301245		Release Bearing ID - 2.499" OD - 3.940" Thickness - .905" For applications using a constant running bearing. Models: 251XE, 270, 271, 271X, 271XE, 281, 281X, 362

	8301245		Release Bearing ID - 2.499" OD - 3.940" Thickness - .905" For applications using a constant running bearing. Models: 375, 383
---	----------------	--	--

	8301245		Release Bearing ID - 2.499" OD - 3.940" Thickness - .905" For applications using a constant running bearing. Models: 390
---	----------------	--	---

Massey - Ferguson

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	6203-2RS		Pilot Bearing ID - .6693" OD - 1.5748" Thickness - 1.5748"
			Models: F40, Super 90, TE20 , TEA20, TO20, TO30, TO35, 20 IND, 30 IND, 40IND, 50, 50 IND, 50B IND, 50F IND, 50H IND, 50HX IND, 60H IND, 65, 85, 88, 105, 135, 135 UK, 150, 158, 165, 175, 178, 180, 202, 203, 204, 205, 210, 230, 231, 231S, 235, 240, 243, 245, 250, 251XE, 253, 255, 261, 263, 265, 265S, 270, 271, 271X, 271XE, 275, 281, 281X, 282, 283, 285, 285S, 290, 298, 302, 304, 320, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 670, 690, 698, 699, 1010, 1080, 1085, 1125, 1140, 1145, 1160, 1165, 1180, 1190, 1240, 1250, 1260, 1445, 1445H, 1455, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 4655, 5335, 5340, 5355, 5360, 5365, 6500

Massey - Ferguson

13 INCH - SPLIT TORQUE

Image	Part#/Price	Reference #	Application
	AG 09		Alignment Tool Large Spline - 1 5/8" - 25T Small Spline - 1 1/8" - 21T Pilot Diameter - 0.670 Models: 231, 240, 243, 251XE, 253, 261, 263, 265S, 271, 271X, 271XE, 281, 281X, 283, 285S, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 396, 398, 399, 431, 451, 461, 471, 481, 491, 492, 533, 543, 573, 583, 593, 596, 2606H, 2615, 2670, 2680, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4655, 5335, 5340, 5355, 5360, 5365

Massey - Ferguson

13 INCH - SPLIT TORQUE - COIL SPRINGS

Image	Part#/Price	Reference #	Application
	M688208		Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 25 Flywheel Step - .130" Stage -Single Models: 375, 390, 390T, 393, 396, 398, 399, 699
	M688207		Disc Type - Spring OD - 13" Hub Size - 1-1/8" Spline - 21 Offset Center Models: 375, 390, 390T, 393, 396, 398, 399, 699
	M688207 HD		Disc Type - Spring Ceramic Button OD - 13" Hub Size - 1-1/8" Spline - 21 Offset Center Models: 375, 390, 390T, 393, 396, 398, 399, 699

Massey - Ferguson

13 INCH - SPLIT TORQUE - COIL SPRINGS #2

Image	Part#/Price	Reference #	Application
	M671692		Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 3 Springs - 12 Hub/Spline - 1-5/8" x 25 Flywheel Step - Flat Stage -Single Models: 298, 698
	M671691		Disc Type - Rigid Woven OD - 13" Hub Size - 1-1/8" Spline - 10 Models: 283, 298, 698
	M671691-HD5		Disc Type - Rigid Ceramic Button OD - 13" Hub Size - 1-1/8" Spline - 10 Models: 283, 298, 698

Massey - Ferguson

13 INCH - SINGLE STAGE #1

Image	Part#/Price	Reference #	Application
	M3797949	133 0280 10 306498 3797949M2	Pressure Plate Assembly Plate Size - 13" Levers - Diaphragm Springs - Diaphragm Flywheel Step - 1.660" Stage -Single Models: 5425, 5435, 5445, 5455, 5460, 5465
	M3618835-HD-7	M3618835M1	Disc Type - Rigid Ceramic Button OD - 13" Hub Size - 2" Thickness - 23 Models: 5425, 5435, 5445, 5455, 5460, 5465

	6205-2RS		Pilot Bearing ID - .984" OD - 2.047" Thickness - .590" Models: 5425, 5435, 5445, 5455, 5460, 5465
--	-----------------	--	--

Massey - Ferguson

13 INCH - SINGLE STAGE #2

Image	Part#/Price	Reference #	Application
	D2214356	133 0220 30	Pressure Plate Assembly Type - Diaphragm Plate Size - 13" Levers - Diaphragm Springs - Diaphragm Hub/Spline - N/A Flywheel Step - 1.340" Stage -Single Models: 3050, 3055, 3060, 3065, 3070, 3075, 3080, 3085, 3090, 3095
	M3618835-HD-7	M3618835M1	Disc Type - Rigid Ceramic Button OD - 13" Hub Size - 2" Thickness - 23 Models: 3085, 3095, 3120, 3125, 3140, 5425, 5435, 5445, 5455, 5460

McCormick

9-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K20206N-FORD KIT		Clutch Kit Includes: 6001-2RS, FD320560, K20206, N018 Models: X135
	K20206N-FORD CB KIT		Clutch Kit Includes: 6001-2RS, FD320560 HD4, K20206, N018 Models: X135
	K20206	K31301-14600 KTA020-20600	Pressure Plate Assembly Type - Diaphragm Plate Size - 9-1/2" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: X135
	FD320560		Disc Type - Spring Woven OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: X135
	FD320560 HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: X135
	FD320560 HD6		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 1-3/16" Spline - 16 Models: X135

McCormick

9-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" S/N 3M19775 Models: X135
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: CT47, CT50U, CT55U, CT65U, X135
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: X135

McCormick

11 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	K32530	3A481-25110 SC32232	Pressure Plate Assembly Plate Size - 11" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: CT47, CT50U, CT55U, CT65U
	M01250067		Disc Type - Spring Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: CT47, CT50U, CT55U, CT65U
	M01250067 HD6		Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-3/8" Spline - 19 Models: CT47, CT50U, CT55U, CT65U
	RCT55B	835582	Release Bearing ID - 2.166" OD - 3.468" Thickness - 0.866" Models: CT47, CT50U, CT55U, CT65U
	6002-2RS	15005 836002	Pilot Bearing ID - 0.590" OD - 1.250" Thickness - 0.350" Models: CT47, CT50U, CT55U, CT65U

McCormick

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	D272699		Disc Type - Rigid Woven OD - 11" Hub Size - 1-9/16" Spline - 14 Models: T100, F60, F75, F80, T70, T80, T90, V60, V65, V70
	D2093949	328 0185 10	Disc Type - Rigid Ceramic Button OD - 11" Hub Size - 1-9/16" Spline - 14 Models: T100, F60, F75, F80, T70, T80, T90, V60, V65, V70
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" Models: F100, F105, T100, C70L, F60, F75, F80, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V60, V65, V70, V80
	6013-2RS	830166	Pilot Bearing ID - 2.557" OD - 3.936" Thickness - 0.704" Models: F100, F105, T100, F60, F75, F80, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V60, V65, V70, V80
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: C100, CX100, CX105, CX110, F100, F105, T100, C50, C60, C80, C90, CX50, CX60, CX70, CX75, CX80, CX85, CX90, CX95, F60, F75, F80, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V60, V65, V70, V80

McCormick

11 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	AG 30		Alignment Tool Large Spline - 1 9/16" - 14T Small Spline - 1" - 10T Pilot Diameter - 0.786 Models: T100, F60, F75, F80, T70, T80, T90, V60, V70

McCormick

12-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	223807		Pressure Plate Assembly Type - Diaphragm Plate Size - 12-1/4' Levers - N/A Springs - Diaphragm Hub/Spline - 1-5/8" X 10 Flywheel Step - Flat Stage -Single Models: C100, CX100, CX105, CX110, C50, C60, C80, C90, CX50, CX60, CX70, CX75, CX80, CX85, CX90, CX95
	341723		Disc Type - Spring Ceramic Button OD - 12-1/4" Hub Size - 1-1/8" Spline - 10 Models: C100, CX100, CX105, CX110, C50, C60, C80, C90, CX50, CX60, CX70, CX75, CX80, CX85, CX90, CX95
	500 0361 50		Release Bearing ID - 2.374" OD - 4.001" Thickness - .836" Models: C100, CX100, CX105, CX110, C50, C60, C80, C90, CX50, CX60, CX70, CX75, CX80, CX85, CX90, CX95
	6204-2RS		Pilot Bearing ID - .787" OD - 1.850" Thickness - .551" Models: C100, CX100, CX105, CX110, F100, F105, C50, C60, C80, C90, CX50, CX60, CX70, CX75, CX80, CX85, CX90, CX95, F60, F75, F80, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V60, V65, V70, V80
	AG 02		Alignment Tool Large Spline - 1 5/8" - 10T Small Spline - 1 1/8" - 10T Pilot Diameter - 0.750 Models: C100, CX100, CX105, CX110, C50, C60, C80, C90, CX50, CX60, CX70, CX75, CX80, CX85, CX90, CX95

McCormick

12-1/4 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	M3105232	331 0133 11	Disc Type - Spring Ceramic Button OD - 12-1/4" Hub Size - 1-9/16" Spline - 14 Models: F100, F105, T100, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V70, V80
	M3105233		Disc Type - Rigid Woven OD - 12-1/4" Hub Size - 15/16" Spline - 10 Models: T100, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V70, V80
	6013-2RS	830166	Pilot Bearing ID - 2.557" OD - 3.936" Thickness - 0.704" PTO BEARING Models: F100, F105, T100, F60, F75, F80, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V60, V65, V70, V80
	500 0459 00	8301080 87345759 87541562	Release Bearing ID - 1.968" OD - 3.550" Thickness - 0.845" RELEASE BEARING WITH COLLAR Models: F100, F105, T100, C70L, F60, F75, F80, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V60, V65, V70, V80
	6011-2RS	832165	Pilot Bearing ID - 1.968" OD - 3.147" Thickness - .620" Models: F100, F105, T100, C70L, F60, F75, F80, F90, F95, HIGH CLEAR 85, MAX 85, T70, T80, T90, V60, V65, V70, V80

Oliver

13" Single Stage

Image	Part#/Price	Reference #	Application
	361237		Pressure Plate Assembly Type - Lever Plate Size - 13" Levers - 4 Springs - 12 Hub/Spline - N/A Models: 1750, 1800, 1850, 1855, 1950T, 1955, 2050
	W160974		Disc Type - Spring Woven OD - 13" Hub Size - 1-3/4" Spline - 27 Models: 1750, 1800, 1850, 1855, 1950T, 1955, 2050
	W3295842-CB		Disc Type - Rigid Ceramic Button OD - 13" Hub Size - 1-3/4" Spline - 27 Models: 1950T, 1955, 2050
	W3295842-12 IB		Disc Type - Rigid Iron Man Button OD - 13" Hub Size - 1-3/4" Spline - 27 Models: 1950T, 1955, 2050
	N1171	2255-18 8225518 AT17464	Release Bearing ID - 2.250" OD - 3.750 Thickness - 0.750" Models: 1750, 1755, 1800, 1850, 1855, 1950T, 1955, 2050, 2150, 2155, 2255, 2655
	6008-2RS		Pilot Bearing Models: 1750, 1755, 1800, 1850, 1855, 1870, 1900, 1950, 1950T, 1955, 2050, 2150, 2155, 2255, 2270, 2655

Oliver

13" Single Stage

Image	Part#/Price	Reference #	Application
	AG 33		Alignment Tool Small Spline - 1 3/4" - 27T Pilot Diameter - 1.572 Models: 1750, 1755, 1800, 1850, 1855, 1900, 1950, 1950T, 1955, 2050, 2150

Shibaura

7-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273243	37150-14500	Pressure Plate Assembly Type - Diaphragm Plate Size - 7-1/4" Levers - Diaphragm Flywheel Step - Flat Stage -Single Models: 1543, 1200
	FD320421-CB		Disc Type - Spring Ceramic Button OD - 7-1/4" Hub Size - 15/16" Spline - 10 Models: 2500, S700, 1200, 1543
	W111309		Disc Type - Spring Woven OD - 7-1/4" Hub Size - 13/16" Spline - 18 Models: 1200, 1543
	832102	832102 N2102	Release Bearing ID - 1.496" OD - 2.642" Thickness - .640 Models: 1543, 2500, S700, 1200
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: S1343, S700, 2500, 2540, 2640, 2643, 3040, 325, 2240, 2243, 2260, 1200, 1543, 2200, 4340, 4440, 455, 5040, D23F, D28F

Shibaura

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	FD450011N KIT	SBA320450011K	Clutch Kit Includes: 6001-2RS, AG 01, FD320021, FD450011, N3764 Models: 2200, 2240, 2243, 2260, 2540, 2640, 2643, 325
	FD450011N CB6 KIT		Clutch Kit Includes: 6001-2RS, AG 01, FD320021 HD6, FD450011, N3764 Models: 325, 2643, 2640, 2243, 2240, 2200, 2540, 2260
	FD450011	165317 SBA320450011	Pressure Plate Assembly Type - Lever Plate Size - 8-1/2" Levers - 3 Springs - 3 Flywheel Step - Flat Stage -Single Models: 2260, 2540, 2640, 2200, 2240, 2243, 2643, 325
	FD320021	CD-3940 F400261 FD320250	Disc Type - Rigid Woven OD - 8-1/2" Hub - 10 Hub Size - 15/16" Models: 2200, 2240, 2243, 2260, 2540, 2640, 2643, 325
	FD320021 HD6	CD-3940-CB F400261-CB	Disc Type - Rigid Ceramic Button OD - 8-1/2" Hub Size - 15/16" Spline - 10 Models: 2200, 2240, 2243, 2260, 2540, 2640, 2643, 325

Shibaura

8-1/2 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
-------	-------------	-------------	-------------

	N3764		Release Bearing ID - 1.771" OD - 2.900" Thickness - .700" Models: 2200, 2240, 2243, 2260, 2540, 2640, 2643, 325, 455
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 1200, 1543, 2200, 2240, 2243, 2260, 2500, 2540, 2640, 2643, 3040, 325, 4340, 4440, 455, 5040, D23F, D28F, S1343, S700
	AG 01		Alignment Tool Large Spline - 1 3/8" - 19T Small Spline - 15/16" - 10T Pilot Diameter - 0.468 Models: 2200, 2240, 2243, 2260, 2540, 2640, 2643, 325

Shibaura

9 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	Y194335		Pressure Plate Assembly Plate Size - 9" Levers - Diaphragm Springs - Diaphragm Stage -Single Models: D23F, D28F
	FD400373		Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/16" Spline - 16 Models: D23F, D28F
	N018	832103 TK45-4B	Release Bearing ID - 1.771" OD - 2.900" Thickness - 0.700" Models: D23F, D28F
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 1200, 1543, 2200, 2240, 2243, 2260, 2500, 2540, 2640, 2643, 3040, 325, 4340, 4440, 455, 5040, D23F, D28F, S1343, S700

Shibaura

9 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320110N KIT		Clutch Kit Includes: 6001-2RS, AG 52, FD320051, FD320110, N039 Models: 2640, 2643, 3040
	FD320110		Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - Belleville Hub/Spline - 1-3/8" x 19 Flywheel Step - .028 Stage -Dual Models: 2640, 2643, 3040
	FD320051	R13090	Disc Type - Rigid Woven OD - 9" Hub - 15/16" Spline - 13 Models: 2640, 2643, 3040
	FD320051 HD6		Disc Type - Rigid Ceramic Button OD - 9" Hub - 15/16" Spline - 13 Models: 2640, 2643, 3040
	FD320061		Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/8" Spline - 19 Models: 2640, 2643, 3040

Shibaura

9 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320061 HD4		Disc Type - Rigid Ceramic Button OD - 9" Hub Size - 1-3/8" Spline - 19 Models: 2640, 2643, 3040
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 2640, 2643, 3040, 4340, 4440, 5040, D23F, D28F
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 1200, 1543, 2200, 2240, 2243, 2260, 2500, 2540, 2640, 2643, 3040, 325, 4340, 4440, 455, 5040, D23F, D28F, S1343, S700

Shibaura

9 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	FD440483N KIT		Clutch Kit Includes: 6001-2RS, FD400383, FD440483, N039 Models: D23F, D28F
	FD440483		Pressure Plate Assembly Type - Lever Plate Size - 9" Levers - 3 Springs - Belleville Hub/Spline - 1-3/16" x 16 Flywheel Step - .079 Stage -Dual Models: D23F, D28F
	FD400373		Disc Type - Rigid Woven OD - 9" Hub Size - 1-3/16" Spline - 16 Models: D23F, D28F
	FD400383		Disc Type - Rigid Woven OD - 9" Hub Size - 3/4" Spline - 14 Models: D23F, D28F
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 2640, 2643, 3040, 4340, 4440, 5040, D23F, D28F

Shibaura

9 INCH - DUAL STAGE #2

Image	Part#/Price	Reference #	Application
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 1200, 1543, 2200, 2240, 2243, 2260, 2500, 2540, 2640, 2643, 3040, 325, 4340, 4440, 455, 5040, D23F, D28F, S1343, S700

Shibaura

9-1/2 INCH - DUAL STAGE

Image	Part#/Price	Reference #	Application
	FD320150		Disc Type - Rigid Woven OD - 9-1/2" Hub Size - 15/16" Spline - 13 Models: 4340, 4440, 5040
	FD320160	F400441 R127829	Disc Type - Rigid Woven OD - 9-1/2" Hub - 1-3/8" Spline - 19" Models: 4340, 4440, 5040
	FD320160 HD4		Disc Type - Rigid Ceramic Button OD - 9-1/2" Hub Size - 1-3/8" Spline - 19 Models: 4340, 4440, 5040
	N039	835511	Release Bearing ID - 2.164" OD - 3.450" Thickness - 0.765" Models: 2640, 2643, 3040, 4340, 4440, 5040, D23F, D28F
	6001-2RS		Pilot Bearing ID - 0.475" OD - 1.102" Thickness - 0.313 Models: 1200, 1543, 2200, 2240, 2243, 2260, 2500, 2540, 2640, 2643, 3040, 325, 4340, 4440, 455, 5040, D23F, D28F, S1343, S700

Yanmar

7-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	Y194440N KIT-YANMAR		Clutch Kit Includes: N3804, Y194340-R, Y194440
	Y194440N KIT-JD		Clutch Kit Includes: 1273242, N3804, Y194440
	Y194440		Pressure Plate Assembly Type - Diaphragm Plate Size - 7-1/4" Levers - Diaphragm Springs - Diaphragm Flywheel Step - .020" Stage -Single Models: 135, 140, 147, 155, 165, 169, 186, 1100, 1130, 1401, 1502, 1510, 1601, 1602, 1610, 1720
	Y194340-R		Disc Type - Rigid Organic OD - 7-1/4" Hub Size - 13/16" Spline - 19 Models: 135, 140, 147, 155, 165, 169, 186, 1100, 1130, 1401
	1273242		Disc Type - Spring Organic OD - 7-1/4" Hub Size - 3/4" Spline - 10 Models: 1301, 1502, 1510, 1601, 1602, 1610, 1702, 1720

Yanmar

7-1/4 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	N3804	834081 N4081	Release Bearing ID - 1.574" OD - 2.500" Thickness - .610" Models: 135, 140, 147, 165, 169, 186, 195, 220, 226, 240, 250, 276, 330, 1100, 1130, 1401, 1500, 1502, 1510, 1600, 1601, 1602, 1610, 1700, 1702, 1720, 1802, 1810, 1820, 1900, 2000, 2001, 2002, 2010, 2020, 2202, 2210, 2220, 2301, 2310, 2402, 2420, 2610, 2620, 2820, 3110, 3220, 3810, 4220

Yanmar

8 INCH - SINGLE STAGE

Image	Part#/Price	Reference #	Application
	1273254	6C040-13300 973728	Pressure Plate Assembly Type - Diaphragm Plate Size - 8" Levers - Diaphragm Springs - Diaphragm Flywheel Step - Flat Stage -Single Models: F18, F20, F22, F24, FX20, FX22, FX24, 155, 165, 169, 195, 220, 226, 240, 250, 276, 1500, 1600, 1700, 1802, 1820, 2000, 2001, 2002, 2010, 2020, 2202, 2210, 2220, 2301, 2310, 2402, 2420
	M3281106		Disc Type - Rigid Organic OD - 8" Hub Size - 15/16" Spline - 13 Models: F18, F20, F22, F24, FX20, FX22, FX24, 1802, 1820, 2002, 2202, 2220, 2402, 2420
	M3281107		Disc Type - Spring Organic OD - 8" Hub Size - 15/16" Spline - 13 Models: F18, F20, F22, F24, FX20, FX22, FX24, 1802, 1820, 2002, 2202, 2220, 2402, 2420